



集团微信订阅号

集团微信服务号



211520341971



中国认可
国际互认
检测
TESTING
CNAS L4349

检测报告

(Test Report)

No. A4E109073A4F1110346

样品名称
(Sample Description)

速冻分割鸡（腿、胸、翅）

委托单位
(Applicant)

江苏益客食品集团股份有限公司

PONY 谱尼测试

Pony Testing International Group

www.ponytest.com



查询密码:Hz9jJfWw

声明 Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五个工作日内)向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 working days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责,检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用,使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济 and 法律责任。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的;
The report number is unique.
2. 扫描报告首页下方二维码,即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信服务号

北京实验室:(010)83055000
北京医学实验室:(010)62450233-8010
北京谱尼科技公司:(010)80415661
青岛实验室:(0532)88706866
青岛医学实验室:(0532)88706866
天津实验室:(022)23607888
天津医学实验室:(022)23607888
长春实验室:(0431)80530198
吉林医学实验室:(0431)80529700
大连实验室:(0411)87336618
大连医学实验室:(0411)87336618

哈尔滨实验室:(0451)58627755
黑龙江医学实验室:(0451)58603455
郑州实验室:(0371)69350670
郑州谱尼医学实验室:(0371)63279066
新疆实验室:(0991)6684186
石家庄实验室:(0311)85376660
西安实验室:(029)89608785
西安创尼实验室:(029)81123093
西安查德威克实验室:(029)62886819
西安医学实验室:(029)89608785
呼和浩特实验室:(0471)3450025

内蒙古医学实验室:(0471)3591511
太原实验室:(0351)7555722
成都实验室:(028)87702708
贵州实验室:(0851)85221000
上海实验室:(021)64851999
上海医学实验室:(021)64851999
苏州实验室:(0512)62997900
苏州汽车安全带及儿童安全座椅
碰撞实验室:(0512)62997900
苏州医学实验室:(0512)62997900
武汉车附所:(027)82318175

武汉实验室:(027)83997127
武汉医学实验室:(027)85446975
杭州实验室:(0571)87219096
杭州医学实验室:(0571)87219096
宁波实验室:(0574)87977185
合肥实验室:(0551)63843474
深圳实验室:(0755)26050909
深圳医学实验室:(0755)26050909
广州实验室:(020)89224310
南宁实验室:(0771)5518818
厦门实验室:(0592)5568048

检测报告

(Test Results)

No. A4E109073A4F1110346

第 1 页, 共 8 页 (page 1 of 8)

样品名称 (Sample Description)	速冻分割鸡 (腿、胸、翅)	样品规格 (Sample Specification)	500g/袋
委托单位 (Applicant)	江苏益客食品集团股份有 限公司	商标 (Trade Mark)	—
委托单位地址 (Applicant Address)	江苏省宿迁市宿豫区经济开发区太行山路 1 号		
到样日期 (Received Date)	2024-01-09	生产日期或批号 (Manufacturing Date or Lot No.)	20240106
检测日期 (Test Date)	2024-01-09~2024-01-15	样品等级 (Sample Grade)	—
样品状态 (Sample Status)	固态	检测类别 (Test Type)	委托检测
检测项目 (Test Items)	见下页	检测环境 (Test Environment)	符合要求
检测方法 (Test Methods)	见下页		
所用主要仪器 (Main Instruments)	原子吸收光谱仪、原子荧光光谱仪等		
备注 (Note)	1、此样品包含鸡的胴体及其可食部分(包括鸡大胸、小胸、鸡皮、鸡板油、短骨、翅中、翅根、翅尖、鸡爪、琵琶腿、腿肉等可食部) 2、委托单位声明:其产品适用于各种包装规格(500g/袋为委托单位本次送检规格), 本公司不对该信息的真实性进行核实。 3、以上样品信息由委托单位提供。 4、限值标准: GB 2707-2016、GB 16869-2005(冻禽产品)、GB 2762-2022、GB 2763-2021、GB 31650-2019、GB 31650.1-2022、农业农村部公告第 250 号、农业部公告第 560 号、农业部公告第 2638 号		
编制人 (Edited by)	张宝萍	审核人 (Checked by)	
批准人 (Approved by)	邓建平	签发日期 (Issued Date)	2024 年 01 月 15 日

检测报告

(Test Results)

No. A4E109073A4F1110346

第 2 页, 共 8 页 (page 2 of 8)

检测结果(Test Results):

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
1	色泽	—	具有产品应有的色泽	符合要求	符合	GB 2707-2016 3.2
	气味	—	具有产品应有的气味,无异味	符合要求	符合	GB 2707-2016 3.2
	状态	—	具有产品应有的状态,无正常视力可见外来异物	符合要求	符合	GB 2707-2016 3.2
2	挥发性盐基氮	mg/100g	≤15	7.95	符合	GB 5009.228-2016 第二法
3	加热后肉汤	—	透明澄清,脂肪团聚于液面,具有禽类品种应有的滋味	符合要求	符合	GB 16869-2005 5.1.2
4	淤血面积(S) > 1cm ²	—	不得检出	符合要求	符合	GB 16869-2005 5.1
	0.5cm ² <淤血面积(S) ≤1cm ²	—	片数不得超过抽样量的 2%	符合要求	符合	GB 16869-2005 5.1
	淤血面积(S)≤0.5cm ²	—	忽略不计	符合要求	符合	GB 16869-2005 5.1
5	硬杆毛(长度超过12mm的羽毛,或直径超过2mm的羽毛根)	根/10kg	≤1	未检出	符合	GB 16869-2005 5.1
6	冻禽产品解冻失水率	%	≤6	4	符合	GB 16869-2005 5.2
7	六六六(以全样计)	mg/kg	≤0.1	未检出(<0.000018)	符合	GB/T 5009.19-2008 第一法
8	滴滴涕(以全样计)	mg/kg	≤0.2	未检出(<0.000046)	符合	GB/T 5009.19-2008 第一法
9	菌落总数	cfu/g	≤5×10 ⁵	4.1×10 ³	符合	GB 4789.2-2022
10	大肠菌群	MPN/100g	≤5×10 ³	230	符合	GB/T 4789.3-2003

检测报告

(Test Results)

No. A4E109073A4F1110346

第 3 页, 共 8 页 (page 3 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
11	沙门氏菌	—	0/25g(取样个数为 5)	未检出;未检出; 未检出;未检出; 未检出	符合	GB 4789.4-2016
12	出血性大肠埃希氏菌(O157:H7)	—	0/25g(取样个数为 5)	未检出;未检出; 未检出;未检出; 未检出	符合	SN/T 0973-2010
13	铅(以 Pb 计)	mg/kg	≤0.2	未检出 (<0.04)	符合	GB 5009.12-2017 第一法
14	镉(以 Cd 计)	mg/kg	≤0.1	未检出 (<0.003)	符合	GB 5009.15-2014
15	总汞(以 Hg 计)	mg/kg	≤0.05	未检出 (<0.01)	符合	GB 5009.17-2021 第一篇 第一法
16	总砷(以 As 计)	mg/kg	≤0.5	未检出 (<0.040)	符合	GB 5009.11-2014 第一篇 第二法
17	铬(以 Cr 计)	mg/kg	≤1.0	未检出 (<0.03)	符合	GB 5009.123-2014
18	敌敌畏	mg/kg	≤0.01	未检出 (<0.0035)	符合	GB 16869-2005 附录 A
19	灭蝇胺	mg/kg	≤0.1	未检出 (<0.02896)	符合	GB/T 20772-2008
20	硫丹	mg/kg	≤0.03	未检出 (<0.000066)	符合	GB/T 5009.19-2008 第一法
21	五氯硝基苯	mg/kg	≤0.1	未检出 (<0.000104)	符合	GB/T 5009.19-2008 第一法
22	七氯	mg/kg	≤0.2	未检出 (<0.000042)	符合	GB/T 5009.19-2008 第一法
23	艾氏剂(以脂肪计)	mg/kg	≤0.2	未检出 (<0.000034)	符合	GB/T 5009.19-2008 第一法
24	狄氏剂(以脂肪计)	mg/kg	≤0.2	未检出 (<0.000015)	符合	GB/T 5009.19-2008 第一法
25	林丹(以脂肪中的残留量计)	mg/kg	≤0.05	未检出 (<0.000077)	符合	GB/T 5009.19-2008 第一法
26	氯丹(以脂肪中的残留量计)	mg/kg	≤0.5	未检出 (<0.000087)	符合	GB/T 5009.19-2008 第一法
27	地美硝唑	μg/kg	不得检出	未检出 (<1)	符合	GB/T 21318-2007
28	磺胺类	μg/kg	≤100	未检出 (<40.0)	符合	GB/T 20759-2006

检测报告

(Test Results)

No. A4E109073A4F1110346

第 4 页, 共 8 页 (page 4 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
29	甲氧苄啶	µg/kg	≤50	未检出 (<50)	符合	GB/T 21316-2007
30	氟苯尼考	µg/kg	≤100	未检出 (<1.0)	符合	GB/T 20756-2006
31	强力霉素 (多西环素)	µg/kg	≤100	未检出 (<50.0)	符合	GB/T 21317-2007 7.3.1
32	土霉素/金霉素/四环素(单个或组合)	µg/kg	≤200	未检出 (<50.0)	符合	GB/T 21317-2007 7.3.1
33	氯丙嗪	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 20763-2006
34	林可霉素	µg/kg	≤200	未检出 (<1.0)	符合	GB/T 20762-2006
35	沙拉沙星	µg/kg	≤10	未检出 (<6)	符合	GB/T 21312-2007
36	替米考星	µg/kg	≤150	3.03	符合	GB/T 20762-2006
37	尼卡巴嗪残留标志物	µg/kg	≤200	未检出 (<1)	符合	GB 29690-2013
38	地西洋	µg/kg	不得检出	未检出 (<0.5)	符合	SN/T 3235-2012
39	甲砒霉素	µg/kg	≤50	未检出 (<1.0)	符合	GB/T 20756-2006
40	红霉素	µg/kg	≤100	未检出 (<1.0)	符合	GB/T 20762-2006
41	盐霉素	µg/kg	≤600	未检出 (<5.0)	符合	GB/T 20364-2006 方法一
42	达氟沙星	µg/kg	≤200	未检出 (<3.0)	符合	GB/T 21312-2007
43	噁喹酸	µg/kg	≤100	未检出 (<3.0)	符合	GB/T 21312-2007
44	氟甲喹	µg/kg	≤500	未检出 (<3.0)	符合	GB/T 21312-2007
45	*二氟沙星	µg/kg	≤300	未检出 (<10.0)	符合	SN/T 1751.2-2007
46	氯羟吡啶	µg/kg	≤5000	未检出 (<5)	符合	SN/T 0212.1-2014 第二法
47	氨苄西林	µg/kg	≤50	未检出 (<2)	符合	GB/T 21315-2007

检测报告

(Test Results)

No. A4E109073A4F1110346

第 5 页, 共 8 页 (page 5 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
48	阿莫西林	µg/kg	≤50	未检出 (<5)	符合	GB/T 21315-2007
49	氯唑西林	µg/kg	≤300	未检出 (<1)	符合	GB/T 21315-2007
50	吉他霉素	µg/kg	≤200	未检出 (<1.0)	符合	GB/T 20762-2006
51	卡那霉素	µg/kg	≤100	未检出 (<20)	符合	GB/T 21323-2007
52	甲基盐霉素	µg/kg	≤15	未检出 (<5.0)	符合	GB/T 20364-2006 方法一
53	托曲珠利	µg/kg	≤100	未检出 (<20)	符合	SN/T 2318-2009
54	莫能菌素	µg/kg	≤10	未检出 (<5.0)	符合	GB/T 20364-2006 方法一
55	*溴氰菊酯	µg/kg	≤30	未检出 (<2.5)	符合	GB/T 5009.162-2008 第二法
56	泰乐菌素	µg/kg	≤100	未检出 (<1.0)	符合	GB/T 20762-2006
57	*螺旋霉素	µg/kg	≤200	未检出 (<1.0)	符合	GB/T 20762-2006
58	氨丙啉	µg/kg	≤500	未检出 (<10)	符合	SN/T 3144-2011
59	地克珠利	µg/kg	≤500	未检出 (<10)	符合	SN/T 2318-2009
60	甲硝唑	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 21318-2007
61	恩诺沙星(以恩诺沙星与环丙沙星之和计)	µg/kg	≤100	未检出 (恩诺沙星<3.0,环丙沙星<8)	符合	GB/T 21312-2007
62	*马度米星铵	µg/kg	≤240	未检出 (<50)	符合	SN/T 3144-2011
63	氯苯胍	µg/kg	≤100	未检出 (<10)	符合	GB 31658.13-2021
64	洛美沙星	µg/kg	≤2	未检出 (<1.0)	符合	GB/T 21312-2007
65	诺氟沙星	µg/kg	≤2	未检出 (<2.0)	符合	GB/T 21312-2007
66	氧氟沙星	µg/kg	≤2	未检出 (<1.0)	符合	GB/T 21312-2007

检测报告

(Test Results)

No. A4E109073A4F1110346

第 6 页, 共 8 页 (page 6 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
67	培氟沙星	µg/kg	≤2	未检出 (<2.0)	符合	GB/T 21312-2007
68	氯霉素	µg/kg	不得检出	未检出 (<0.1)	符合	GB/T 20756-2006
69	呋喃唑酮代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 21311-2007
70	呋喃它酮代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 21311-2007
71	呋喃西林代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 21311-2007
72	呋喃妥因代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 21311-2007
73	五氯酚酸钠	µg/kg	不得检出	未检出 (<0.25)	符合	GB 29708-2013
74	己烯雌酚	µg/kg	不得检出	未检出 (<0.4)	符合	GB/T 21981-2008
75	卡巴氧及其代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 20746-2006
76	盐酸克伦特罗	µg/kg	不得检出	未检出 (<0.5)	符合	GB 31658.22-2022
77	*玉米赤霉醇	µg/kg	不得检出	未检出 (<1)	符合	SN/T 3235-2012
78	*金刚烷胺	µg/kg	不得检出	未检出 (<1.0)	符合	SN/T 4253-2015
79	金刚乙胺	µg/kg	不得检出	未检出 (<1.0)	符合	SN/T 4253-2015
80	利巴韦林	µg/kg	不得检出	未检出 (<1.0)	符合	SN/T 4519-2016
81	噻乙醇代谢物	µg/kg	不得检出	未检出 (<0.5)	符合	GB/T 20746-2006
82	N-二甲基亚硝胺	µg/kg	—	未检出 (<1.0)	—	GB 5009.26-2016 第一法
83	磺胺醋酰	µg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
84	磺胺嘧啶	µg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
85	磺胺吡啶	µg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006

检测报告

(Test Results)

No. A4E109073A4F1110346

第 7 页, 共 8 页 (page 7 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
86	磺胺噻唑	μg/kg	—	未检出 (<10.0)	—	GB/T 20759-2006
87	磺胺甲基嘧啶	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
88	磺胺二甲嘧啶	μg/kg	—	未检出 (<20.0)	—	GB/T 20759-2006
89	磺胺甲氧哒嗪	μg/kg	—	未检出 (<10.0)	—	GB/T 20759-2006
90	磺胺甲噻二唑	μg/kg	—	未检出 (<2.5)	—	GB/T 20759-2006
91	磺胺对甲氧嘧啶	μg/kg	—	未检出 (<20.0)	—	GB/T 20759-2006
92	磺胺-6-甲氧嘧啶	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
93	磺胺氯哒嗪	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
94	磺胺邻二甲氧嘧啶	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
95	苯甲酰磺胺	μg/kg	—	未检出 (<0.5)	—	农业部 1025 号公告-23-2008
96	磺胺间二甲氧嘧啶	μg/kg	—	未检出 (<10.0)	—	GB/T 20759-2006
97	磺胺苯吡唑	μg/kg	—	未检出 (<40.0)	—	GB/T 20759-2006
98	磺胺恶唑	μg/kg	—	未检出 (<0.5)	—	农业部 1025 号公告-23-2008
99	磺胺甲基异噻唑	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
100	磺胺二甲异噻唑	μg/kg	—	未检出 (<5.0)	—	GB/T 20759-2006
101	磺胺噻恶琳	μg/kg	—	未检出 (<0.5)	—	农业部 1025 号公告-23-2008
102	*阿奇霉素	μg/kg	—	未检出 (<2.5)	—	农医发[2016]3 号 附录 4
103	*羟基甲硝唑 (MNZOH)	μg/kg	—	未检出 (<1)	—	GB/T 21318-2007
104	*羟基地美硝唑	μg/kg	—	未检出 (<1)	—	GB/T 21318-2007

检测报告

(Test Results)

No. A4E109073A4F1110346

第 8 页, 共 8 页 (page 8 of 8)

序号 (S/N)	检测项目 (Test Item)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
105	泰万菌素	µg/kg	—	未检出 (<1.0)	—	DB37/T 3234-2018

注: 检测项目左上角的标注说明如下:

“*”表示该项目不在本公司 CNAS 认可范围内。

以下空白

(End of Report)