

报告编号: A2250482400101001EaR1

Report No.:



中国认可
国际互认
检测
TESTING
CNAS L4157

检测报告

Test Report

样品名称:

Sample Name: 水磨糯米粉 Water-ground glutinous rice flour

委托单位:

Applicant: 蚌埠市兄弟粮油食品科技有限公司
Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.

检测类型:

Testing Purpose: 委托检验
Entrust Testing

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd.

www.cti-cert.com



验证码 Verification Code: 9OSD

检测报告/Test Report

报告编号: A2250482400101001EaR1
Report No.:

第 1 页共 6 页
Page 1 of 6

委托单位: 蚌埠市兄弟粮油食品科技有限公司
Applicant: Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.
地址: 蚌埠市怀远县经济开发区金河路 28 号
Address: No. 28, Jinhe Road, Economic Development Zone, Huaiyuan County, Bengbu Cit

样品信息/Sample Information:

样品名称 Sample Name : 水磨糯米粉 Water-ground glutinous rice flour
CTI 样品编号 CTI Sample No. : BR17626001
生产日期 Product Date : 2025.7.5
样品数量 Sample Quantity : 3kg
样品商标 Sample Brand : /
生产商 Manufacturer : 蚌埠市兄弟粮油食品科技有限公司 Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.
生产商地址 Manufacturer Address : 蚌埠市怀远县经济开发区金河路 28 号 No. 28, Jinhe Road, Economic Development Zone, Huaiyuan County, Bengbu Cit
样品状态 Sample Status : 完好 Intact
样品接收日期 Sample Received Date : 2025/07/10
样品检测日期 Sample Tested Date : 2025/07/10 ~ 2025/08/01

检测项目: 气味, 色泽, 镉(以 Cd 计), 铬(以 Cr 计), 总汞(以 Hg 计)等 17 项
Test Item(s): Smell, Color, Cadmium, Chromium, Mercury etc. 17 items

检测结果: 请参见下页。

Test Result(s): Please refer to the following page(s)

检测结论: 经检验, 该产品以下有限量的项目符合 Q/XLSK 0001S-2023《水磨糯米粉》,GB 2761-2017《食品安全国家标准 食品中真菌毒素限量》,GB 2762-2022《食品安全国家标准 食品中污染物限量》,GB 2760-2024《食品安全国家标准 食品添加剂使用标准》,GB 2763-2021《食品安全国家标准 食品中农药最大残留限量》的规定要求。

Test Conclusion: The following inspected items of Samples which have limited provisions meet the requirements specified in Q/XLSK 0001S-2023 ,GB 2761-2017 National food safety standard Maximum levels of mycotoxins in foods,GB 2762-2022 National food safety standard Maximum levels of contaminants in foods,GB 2760-2024 National food safety standard for uses of food additives,GB 2763-2021 National food safety standard-Maximum residue limits for pesticides in food.

编制:
Complied by:
批准:
Approved by:



审核:
Reviewed by:
日期:
Date:

孙雪飞
2025/08/01

青岛市华测检测技术有限公司
Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层
Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address: Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District, Qingdao, Shandong, China

检测报告/Test Report

报告编号:
Report No.:

A2250482400101001EaR1

第 2 页共 6 页
Page 2 of 6

检验检测结果:

Test Result(s):

| 序号 No. | 项目名称 Test Item | 单位 Unit | 检测结果 Test Result | 检出限 LOD | 技术要求 Limit requirement | 单项结论 Conclusion | 检测方法 Test Method |
|-----------|--------------------------|------------|---|-----------------------------|--|--------------------|--|
| 1 | 气味 Smell | / | 具有米粉固有的 的气味, 无酸 味、霉味及其 它异味。 It has the inherent smell of rice noodles, no sour smell, moldy smell, and other unpleasant smells. | / | 具有米粉固有 的气味, 无酸 味、霉味及其 它异味。 It has the inherent smell of rice noodles, no sour smell, moldy smell, and other unpleasant smells. | 符合 Pass | GB/T 5492-2008 6.3 |
| 2 | 色泽 Color | / | 洁白, 有光泽 Pure white, shi ny | / | 洁白, 有光泽 Pure white, shi ny | 符合 Pass | GB/T 5492-2008 6.2 |
| 3 | 镉(以 Cd 计) Cadmium | mg/kg | 0.0258 | 定量限: 0.005 LOQ: 0.005 | ≤0.2 | 符合 Pass | GB 5009.15-2023 第二法 The second method |
| 4 | 铬(以 Cr 计) Chromium | mg/kg | 未检出 Not detected | 定量限: 0.2 LOQ: 0.2 | ≤1.0 | 符合 Pass | GB 5009.123-2023 第二法 The second method |
| 5 | 总汞(以 Hg 计) Mercury | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | ≤0.02 | 符合 Pass | GB 5009.17-2021 第一篇 第一法 The first method in Chapter one |
| 6 | 铅(以 Pb 计) Lead | mg/kg | 未检出 Not detected | 定量限: 0.05 LOQ: 0.05 | ≤0.18 | 符合 Pass | GB 5009.12-2023 第二法 The second method |

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东
省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

检测报告/Test Report

报告编号:
Report No.:

A2250482400101001EaR1

第 3 页共 6 页
Page 3of 6

检验检测结果:

Test Result(s):

| 序号 No. | 项目名称 Test Item | 单位 Unit | 检测结果 Test Result | 检出限 LOD | 技术要求 Limit requirement | 单项结论 Conclusio n | 检测方法 Test Method |
|-----------|----------------------------------|------------|---------------------|-----------------------------|-------------------------------|------------------------|--|
| 7 | 无机砷(以 As 计) Inorganic arsenic | mg/kg | 未检出 Not detected | 定量限: 0.05 LOQ: 0.05 | ≤0.2 | 符合 Pass | GB 5009.11-2024 第二篇 第一法 The first method in Chapter two |
| 8 | 二氧化硫残留量 Sulfur dioxide | g/kg | 未检出 Not detected | 定量限: 0.010 LOQ: 0.010 | 不得使用 Not allowed to use | 符合 Pass | GB 5009.34-2022 第一法 The first method |
| 9 | 赭曲霉毒素 A Ochratoxin A | μg/kg | 未检出 Not detected | 定量限: 3.0 LOQ: 3.0 | ≤5.0 | 符合 Pass | GB 5009.96-2016 第三法 The third Method |
| 10 | 滴滴涕 DDT | | | | | | |
| | 滴滴涕 DDT | mg/kg | 未检出 Not detected | / | ≤0.05 | 符合 Pass | GB 23200.113-2018 |
| | o,p'-滴滴涕 o,p'-DDT | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | p,p'-滴滴涕 p,p'-DDE | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | p,p'-滴滴涕 p,p'-DDT | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | p,p'-滴滴涕 p,p'-DDD | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| 11 | 六六六 HCH | | | | | | |
| | 六六六 HCH | mg/kg | 未检出 Not detected | / | ≤0.05 | 符合 Pass | GB 23200.113-2018 |

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

检测报告/Test Report

报告编号:
Report No.:

A2250482400101001EaR1

第 4 页共 6 页
Page 4 of 6

检验检测结果:

Test Result(s):

| 序号 No. | 项目名称 Test Item | 单位 Unit | 检测结果 Test Result | 检出限 LOD | 技术要求 Limit requirement | 单项结论 Conclusio n | 检测方法 Test Method |
|-----------|--|------------|---------------------|---------------------------|------------------------------|------------------------|---|
| | β -六六六 Beta-HCH | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | δ -六六六 Delta-HCH | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | γ -六六六 Gamma-HCH | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| | β -六六六 Beta-HCH | mg/kg | 未检出 Not detected | 定量限: 0.01 LOQ: 0.01 | / | / | GB 23200.113-2018 |
| 12 | 苯并[a]芘 Benzo(a)pyren e | μ g/kg | 未检出 Not detected | 定量限: 0.5 LOQ: 0.5 | ≤ 2.0 | 符合 Pass | GB 5009.27-2016 |
| 13 | 含砂量 Sand content | % | < 0.01 | 定量限: 0.01 LOQ: 0.01 | ≤ 0.02 | 符合 Pass | GB/T 5508-2011 |
| 14 | 灰分(以干基 计) Ash(on a dry basis) | % | 0.21 | 定量限: 0.05 LOQ: 0.05 | ≤ 0.60 | 符合 Pass | GB 5009.4-2016 第一法 The first method |
| 15 | 水分 Moisture | % | 10.9 | 定量限: 0.1 LOQ: 0.1 | ≤ 14 | 符合 Pass | GB 5009.3-2016 第一法 The first method |
| 16 | 酸度(干基) Acidity | mL/10g | 0.212 | 定量限: 0.01 LOQ: 0.01 | ≤ 1.0 | 符合 Pass | GB 5009.239-2016 第一法 The first method |

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

检测报告/Test Report

报告编号: A2250482400101001EaR1
Report No.:第 5 页共 6 页
Page 5 of 6

检验检测结果:

Test Result(s):

| 序号 No. | 项目名称 Test Item | 单位 Unit | 检测结果 Test Result | 检出限 LOD | 技术要求 Limit requirement | 单项结论 Conclusio n | 检测方法 Test Method |
|---------------|--|------------|---------------------|----------------------|------------------------------|------------------------|--|
| 17 | 黄曲霉毒素 B ₁ Aflatoxin B ₁ | µg/kg | 未检出 Not detected | 定量限: 0.1 LOQ: 0.1 | / | / | GB 5009.22-2016 第一法 The first method |
| 以下空白 Blank | | | | | | | |

备注:

- LOD = 检出限
- Q/XLSK 0001S-2023 由委托单位提供。
- 本报告对原报告(报告编号: A2250482400101001Ea)进行修改,并替换原报告,修改内容如下:加测无机砷(以 As 计)。自本报告签发之日起原报告作废。

Note(s):

- LOD = Limit Of Detection
- Q/XLSK 0001S-2023 provided by the customer.
- This report modifies and replaces the original report (Report NO. : A2250482400101001Ea) with the following modifications :Add Inorganic arsenic. The original report shall become invalid from the date of this report issued.

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

检测报告/Test Report

报告编号: A2250482400101001EaR1
Report No.:

第 6 页共 6 页
Page 6 of 6

声明 Statement:

1. 报告无批准人签字、检验检测专用章及报告骑缝章, 或经涂改, 以及复印报告未加盖红色检验检测专用章均视作无效。

This report is considered invalidated in one or more of the following conditions: no approval signature; no testing seal of CTI; no cross-page seal; altered; a copy without the red testing seal of CTI.

2. 未经本公司批准, 不得部分复制本报告。

Without written approval of CTI, this report shall not be reproduced partly.

3. 样品信息由客户提供, 本报告检测结果仅对受检样品负责。

The sample Information is provided by the customer, and the results shown in this test report refer only to the sample(s) tested.

4. 不得擅自使用检测结果进行不当宣传。

Unauthorized use of the test results for improper publicity is impermissible.

5. 如果对检测结果有异议, 请于收到报告之日起 7 个工作日内向本单位提出异议, 逾期不予受理。

Any questions on the Report should be put forward within 7 days from the date you receive and overdue is inadmissible, Expired will not be accepted.

6. 扫描报告首页二维码, 或登陆官方网站 <https://mycti.cti-cert.com> 输入报告编号和报告首页验证码, 即可查询报告真伪; 如有疑问, 请联系邮箱: fdd.checkreport@cti-cert.com。

Scan the QR code on the first page of the report, or input the report number and verification code on this official website: <https://mycti.cti-cert.com>, to verify the authenticity of the report.

For any question, please contact by e-mail: fdd.checkreport@cti-cert.com.

*** 报告结束 ***

*** End of report ***

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

报告编号: A2250482400101001Eb

Report No.:

检测报告

Test Report

样品名称:

Sample Name: 水磨糯米粉 Water-ground glutinous rice flour

委托单位:

Applicant: 蚌埠市兄弟粮油食品科技有限公司
Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.

检测类型:

Testing Purpose: 委托检验
Entrust Testing

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd.

www.cti-cert.com



验证码 Verification Code: TJF7

检测报告/Test Report

报告编号: A2250482400101001Eb
Report No.:

第 1 页共 3 页
Page 1 of 3

委托单位: 蚌埠市兄弟粮油食品科技有限公司
Applicant: Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.
地址: 蚌埠市怀远县经济开发区金河路 28 号
Address: No. 28, Jinhe Road, Economic Development Zone, Huaiyuan County, Bengbu Cit

样品信息/Sample Information:

样品名称 Sample Name : 水磨糯米粉 Water-ground glutinous rice flour
CTI 样品编号 CTI Sample No. : BR17626001
生产日期 Product Date : 2025.7.5
样品数量 Sample Quantity : 3kg
样品商标 Sample Brand : 雪枣
生产商 Manufacturer : 蚌埠市兄弟粮油食品科技有限公司 Bengbu Brothers Grain, Oil and Food Technology Co., Ltd.
生产商地址 Manufacturer Address : 蚌埠市怀远县经济开发区金河路 28 号 No. 28, Jinhe Road, Economic Development Zone, Huaiyuan County, Bengbu Cit
样品状态 Sample Status : 完好 Intact
样品接收日期 Sample Received Date : 2025/07/10
样品检测日期 Sample Tested Date : 2025/07/10 ~ 2025/07/25

检测项目: 斑点, 形态, 杂质, 直链淀粉, 白度(R457nm 蓝光反射率)等 6 项

Test Item(s): Spot, Form, Extraneous matter, Amylose, Whiteness etc.6 items.

检测结果: 请参见下页。

Test Result(s): Please refer to the following page(s)

检测结论: 经检验, 该产品以下有限量的项目符合 Q/XLSK 0001S-2023《水磨糯米粉》

Test Conclusion: 的规定要求。

The following inspected items of Samples which have limited provisions meet the requirements specified in Q/XLSK 0001S-2023 .

编制:
Complied by:
批准:
Approved by:



徐建凯 Xu Jiankai
授权签字人/ Technical Director

审核:
Reviewed by:
日期:
Date:

孙雪飞
2025/07/25

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层
Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District, Qingdao, Shandong, China

检测报告/Test Report

报告编号:
Report No.:

A2250482400101001Eb

第 2 页共 3 页
Page 2 of 3

检验检测结果:

Test Result(s):

| 序号 No. | 项目名称 Test Item | 单位 Unit | 检测结果 Test Result | 检出限 LOD | 技术要求 Limit requirement | 单项结论 Conclusion | 检测方法 Test Method |
|---------------|---------------------------------------|-------------------|---|----------------------|---|--------------------|---------------------|
| 1 | 斑点 Spot | 个/cm ² | < 0.1 | 定量限: 0.1 LOQ: 0.1 | ≤4.0 | 符合 Pass | GB/T 22427.4-2008 |
| 2 | 形态 Form | / | 呈干燥的粉状, 无结块、 无霉变。 It is in the form of dry powder, without lumps or mold. | / | 呈干燥的粉状, 无结块、 无霉变。 It is in the form of dry powder, without lumps or mold. | 符合 Pass | Q/XLSK 0001S-2023 |
| 3 | 杂质 Extraneous matter | / | 无肉眼可见外来杂质。 No foreign impurities were visible to naked eyes. | / | 无肉眼可见外来杂质。 No foreign impurities were visible to naked eyes. | 符合 Pass | Q/XLSK 0001S-2023 |
| 4 | 直链淀粉#1 Amylose | % | 1.0 | / | / | / | GB/T 15683-2008 |
| 5 | 白度(R457nm 蓝光反射率) Whiteness | % | 91.2 | / | ≥86.0 | 符合 Pass | GB/T 22427.6-2008 |
| 6 | 细度 1504m(100 目 通过率) Fineness | g/100g | 99.7 | / | ≥97.0 | 符合 Pass | GB/T 22427.5-2008 |
| 以下空白 Blank | | | | | | | |

备注:

1. LOD = 检出限
2. Q/XLSK 0001S-2023 由委托单位提供。
3. #1 表示该项目的检测由河南华测检测技术有限公司完成。

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层
Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District,
Qingdao, Shandong, China

检测报告/Test Report

报告编号: A2250482400101001Eb
Report No.:

第 3 页共 3 页
Page 3 of 3

Note(s):
1. LOD = Limit Of Detection
2. Q/XLSK 0001S-2023 provided by the customer.
3. #1 Indicates the testing items were fulfilled by Centre Testing International Technology(Henan) Co.,Ltd.

声明 Statement:

1. 报告无批准人签字、检验检测专用章及报告骑缝章, 或经涂改, 以及复印报告未加盖红色检验检测专用章均视作无效。

This report is considered invalidated in one or more of the following conditions: no approval signature; no testing seal of CTI; no cross-page seal; altered; a copy without the red testing seal of CTI.

2. 未经本公司批准, 不得部分复制本报告。

Without written approval of CTI, this report shall not be reproduced partly.

3. 样品信息由客户提供, 本报告检测结果仅对受检样品负责。

The sample Information is provided by the customer, and the results shown in this test report refer only to the sample(s) tested.

4. 不得擅自使用检测结果进行不当宣传。

Unauthorized use of the test results for improper publicity is impermissible.

5. 如果对检测结果有异议, 请于收到报告之日起 7 个工作日内向本单位提出异议, 逾期不予受理。

Any questions on the Report should be put forward within 7 days from the date you receive and overdue is inadmissible, Expired will not be accepted.

6. 扫描报告首页二维码, 或登陆官方网站 <https://mycti.cti-cert.com> 输入报告编号和报告首页验证码, 即可查询报告真伪; 如有疑问, 请联系邮箱: fdd.checkreport@cti-cert.com。

Scan the QR code on the first page of the report, or input the report number and verification code on this official website: <https://mycti.cti-cert.com>, to verify the authenticity of the report.

For any question, please contact by e-mail: fdd.checkreport@cti-cert.com.

7. 本报告中的全部/部分检测项目未取得资质认定, 仅供科研、教学、企业内部质量控制、企业产品研发等目的用。

All/part of the test items in this report are not in the scope of qualification confirmation accreditation, and should be only used for scientific research, teaching, internal quality control and product development of enterprise.

*** 报告结束 ***

*** End of report ***

青岛市华测检测技术有限公司

Centre Testing International (Qingdao) Co., Ltd. 青岛市崂山区高昌路 7 号厂区 3 号楼 检验检测地点: 山东省青岛市高新区丰茂路 39 号 1 号楼负 1 层 001-002 室, 1 号楼 1-4 层, 3 号楼 4-5 层

Building 3 of Industrial Park, No.7, Gaochang Road, Laoshan District, Qingdao, Shandong, China Test address:
Room 001-002, B1/F., Building 1, 1-4/F., Building 1, 4-5/F., Building 3, No.39, Fengmao Road, Gaoxin District, Qingdao, Shandong, China