



210900110152



W024068L00300

检测报告

Test Report



Gv1X2rpI

产品名称：蒙牛未来星儿童成长配方奶粉
Name of Sample

规格型号：400*16
Type

委托单位：内蒙古欧世蒙牛乳制品有限责任公司
Applicant

检测类别：委托检测
Test Purpose

上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research



上海市质量监督检验技术研究院
检测报告

报告编号: W024068L00300

共6页 第1页

样品名称	蒙牛未来星儿童成长配方奶粉			检测类别	委托检测
型号规格等级	400*16 /			商标	蒙牛
委托单位	内蒙古欧世蒙牛乳制品有限责任公司				
受检单位	/				
标称生产单位	内蒙古欧世蒙牛乳制品有限责任公司				
委托书编号	W024068L00300	委托/抽样日期	2024.03.12		
到样日期	2024.03.12	抽样地点	/		
样品数量	9件	受检批数量	/		
生产日期	20240118	批号/编号	40118CC1		
样品到样状态	完好				邮寄到样
检测地点	上海市苍梧路381号				
检测依据	见检测依据页				
判定依据	见判定依据页				
检测日期	2024年03月12日至2024年03月19日				
检测结论	本报告仅提供单项检测结论。详见本报告检测结果汇总表。 (检测报告专用章) 2024年03月19日				
委托单位通讯资料	地址	内蒙古自治区呼和浩特市盛乐经济园区成长大道南(管委会对面)			
	邮编	011500	电话	13039506063	
备注	本报告检验检测结论是根据检验检测依据/判定依据仅对所检项目得出的,不代表未经检验检测的项目或功能符合要求。 本报告共有2份,分别为W024068L00300, W024068L00300-1。 注意事项、声明及所属单位一览表为本报告的组成部分。				

批准: 曲勤凤
主任

审核: 陆渊智

主检: 邱朝宏

陆渊智

邱朝宏

邱朝宏

检测报告

报告编号: W024068L00300

上海市质量监督检验技术研究院

共6页 第2页

检测依据

GB 19644-2010《食品安全国家标准 乳粉》
GB 5009.5-2016《食品安全国家标准 食品中蛋白质的测定》
GB 5009.6-2016《食品安全国家标准 食品中脂肪的测定》
GB 5009.3-2016《食品安全国家标准 食品中水分的测定》
GB 5009.12-2023《食品安全国家标准 食品中铅的测定》
GB 5009.11-2014《食品安全国家标准 食品中总砷及无机砷的测定》
GB 5009.123-2023《食品安全国家标准 食品中铬的测定》
GB 5009.33-2016《食品安全国家标准 食品中亚硝酸盐与硝酸盐的测定》
GB 5009.24-2016《食品安全国家标准 食品中黄曲霉毒素M族的测定》
GB 4789.2-2022《食品安全国家标准 食品微生物学检验 菌落总数测定》
GB 4789.3-2016《食品安全国家标准 食品微生物学检验 大肠菌群计数》
GB 4789.10-2016《食品安全国家标准 食品微生物学检验 金黄色葡萄球菌检验》
GB 4789.4-2016《食品安全国家标准 食品微生物学检验 沙门氏菌检验》
GB/T 22388-2008《原料乳与乳制品中三聚氰胺检测方法》
GB 5009.82-2016《食品安全国家标准 食品中维生素A、D、E的测定》
GB 5009.296-2023《食品安全国家标准 食品中维生素D的测定》
GB 5009.158-2016《食品安全国家标准 食品中维生素K₁的测定》
GB 5009.84-2016《食品安全国家标准 食品中维生素B₁的测定》
GB 5009.85-2016《食品安全国家标准 食品中维生素B₂的测定》
GB 5009.154-2023《食品安全国家标准 食品中维生素B₆的测定》
GB 5009.285-2022《食品安全国家标准 食品中维生素B₁₂的测定》
GB 5009.89-2023《食品安全国家标准 食品中烟酸和烟酰胺的测定》
GB 5009.211-2022《食品安全国家标准 食品中叶酸的测定》
GB 5009.210-2023《食品安全国家标准 食品中泛酸的测定》
GB 5413.18-2010《食品安全国家标准 婴幼儿食品和乳品中维生素C的测定》
GB 5009.259-2023《食品安全国家标准 食品中生物素的测定》
GB 5009.91-2017《食品安全国家标准 食品中钾、钠的测定》
GB 5009.241-2017《食品安全国家标准 食品中镁的测定》
GB 5009.90-2016《食品安全国家标准 食品中铁的测定》
GB 5009.14-2017《食品安全国家标准 食品中锌的测定》
GB 5009.92-2016《食品安全国家标准 食品中钙的测定》
GB 5413.20-2022《食品安全国家标准 婴幼儿食品和乳品中胆碱的测定》
GB 5009.4-2016《食品安全国家标准 食品中灰分的测定》
GB 5009.169-2016《食品安全国家标准 食品中牛磺酸的测定》
GB 5009.168-2016《食品安全国家标准 食品中脂肪酸的测定》
GB 5009.248-2016《食品安全国家标准 食品中叶黄素的测定》
GB 4789.35-2023《食品安全国家标准 食品微生物学检验 乳酸菌检验》
GB 7718-2011《食品安全国家标准 预包装食品标签通则》
GB 28050-2011《食品安全国家标准 预包装食品营养标签通则》
GB 5009.271-2016《食品安全国家标准 食品中邻苯二甲酸酯的测定》
GB 5009.255-2016《食品安全国家标准 食品中果聚糖的测定》

检测报告

报告编号: W024068L00300

上海市质量监督检验技术研究院

共6页 第3页

判定依据

GB 19644-2010 《食品安全国家标准 乳粉》
GB 2762-2022 《食品安全国家标准 食品中污染物限量》
GB 2761-2017 《食品安全国家标准 食品中真菌毒素限量》
GB 29921-2021 《食品安全国家标准 预包装食品中致病菌限量》
卫生部、工业和信息化部、农业部、工商总局、质检总局公告2011年第10号 《关于三聚氰胺在食品中的限量值的公告》
GB 28050-2011 《食品安全国家标准 预包装食品营养标签通则》
标签明示值
GB 7718-2011 《食品安全国家标准 预包装食品标签通则》
卫办监督函【2011】551号 卫生部办公厅关于通报食品及食品添加剂中邻苯二甲酸酯类物质最大残留量的函

检测报告

报告编号: W024068L00300

上海市质量监督检验技术研究院

共6页 第4页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
1	标签	GB 7718-2011; GB 28050-2011	符合标准要求	GB 7718-2011 GB 28050-2011	符合	不包括内容真实性的核实。
2	色泽	具有应有的色泽。	正常	GB 19644-2010 (4.2)	符合	/
3	滋味、气味	具有应有的滋味、气味。	正常	GB 19644-2010 (4.2)	符合	/
4	组织状态	干燥均匀的粉末。	正常	GB 19644-2010 (4.2)	符合	/
5	蛋白质 %	≥16.5	19.0	GB 5009.5-2016 (第一法)	符合	/
6	脂肪 g/100g	≤19.7×120%	19.4	GB 5009.6-2016 (第三法)	符合	/
7	水分 %	≤5.0	2.40	GB 5009.3-2016 (第一法)	符合	/
8	铅(以Pb计) mg/kg	≤0.2	未检出(<0.05)	GB 5009.12-2023 (第二法)	符合	/
9	总砷(以As计) mg/kg	≤0.5	未检出(<0.010)	GB 5009.11-2014 (第一篇 第一法)	符合	/
10	铬(以Cr计) mg/kg	≤2.0	未检出(<0.2)	GB 5009.123-2023(第二法)	符合	/
11	亚硝酸盐(以NaNO ₂ 计) mg/kg	≤2.0	未检出(<0.5)	GB 5009.33-2016 (第二法)	符合	/
12	黄曲霉毒素M ₁ μg/kg	≤0.5	未检出(<0.05)	GB 5009.24-2016 (第二法)	符合	/
13	菌落总数 CFU/g	n=5 c=2 m=50000 M=200000	<10; <10; <10; <10; <10	GB 4789.2-2022	符合	/
14	大肠菌群 CFU/g	n=5 c=1 m=10 M=100	<10; <10; <10; <10; <10	GB 4789.3-2016 (第二法)	符合	/
15	金黄色葡萄球菌 CFU/g	n=5 c=2 m=10 M=100	<10; <10; <10; <10; <10	GB 4789.10-2016 (第二法)	符合	/
16	沙门氏菌 /25g	n=5 c=0 m=0	未检出; 未检出; 未检出; 未检出; 未检出	GB 4789.4-2016	符合	/



检测报告

报告编号: W024068L00300

上海市质量监督检验技术研究院

共6页 第5页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	三聚氰胺 mg/kg	≤2.5	未检出 (<2)	GB/T 22388-2008 (第一法)	符合	/
18	能量 kJ/100g	≤1932×120%	1960	/	符合	/
19	碳水化合物 g/100g	≥53.0×80%	53.9	/	符合	/
20	维生素A μgRE/100g	450 (80~180)	606	GB 5009.82-2016 (第一法)	符合	/
21	维生素D μg/100g	7.0 (80~180)	7.12	GB 5009.296-2023 (第三法)	符合	/
22	维生素E mg α-TE/100g	≥3.80×80%	6.68	GB 5009.82-2016 (第一法)	符合	/
23	维生素K ₁ μg/100g	≥50.0×80%	77.3	GB 5009.158-2016 (第一法)	符合	/
24	维生素B ₁ mg/100g	≥0.85×80%	1.15	GB 5009.84-2016 (第一法)	符合	/
25	维生素B ₂ mg/100g	≥1.30×80%	1.74	GB 5009.85-2016 (第一法)	符合	/
26	维生素B ₆ mg/100g	≥0.48×80%	0.469	GB 5009.154-2023 (第三法)	符合	/
27	维生素B ₁₂ μg/100g	≥2.00×80%	4.1	GB 5009.285-2022 (第三法)	符合	/
28	烟酸 mg/100g	≥3.00×80%	3.85	GB 5009.89-2023 (第一法)	符合	/
29	叶酸 μgDFE/100g	≥185×80%	322	GB 5009.211-2022	符合	/
30	泛酸 mg/100g	≥1.40×80%	5.11	GB 5009.210-2023 (第三法)	符合	/
31	维生素C mg/100g	≥42.0×80%	52.4	GB 5413.18-2010	符合	/
32	生物素 μg/100g	≥10.0×80%	19.2	GB 5009.259-2023 (第二法)	符合	/
33	钠 mg/100g	≤350×120%	254	GB 5009.91-2017 (第三法)	符合	/

检测报告

报告编号: W024068L00300

上海市质量监督检验技术研究院

共6页 第6页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
34	镁 mg/100g	$\geq 50 \times 80\%$	110	GB 5009.241-2017(第二法)	符合	/
35	铁 mg/100g	$\geq 8.0 \times 80\%$	9.12	GB 5009.90-2016(第二法)	符合	/
36	锌 mg/100g	$\geq 6.00 \times 80\%$	9.58	GB 5009.14-2017(第二法)	符合	/
37	钙 mg/100g	$\geq 800 \times 80\%$	1.03×10^3	GB 5009.92-2016(第三法)	符合	/
38	胆碱 mg/100g	$\geq 110.0 \times 80\%$	192	GB 5413.20-2022(第二法)	符合	/
39	膳食纤维(以低聚果糖计) g/100g	≤ 0.5	0.356	GB 5009.255-2016	符合	/
40	叶黄素 $\mu\text{g}/100\text{g}$	$\geq 130 \times 80\%$	202	GB 5009.248-2016	符合	/
41	二十二碳六烯酸(DHA) mg/100g	$\geq 7.50 \times 80\%$	7.60	GB 5009.168-2016(第二法)	符合	/
42	牛磺酸 mg/100g	$\geq 40 \times 80\%$	44.9	GB 5009.169-2016(第二法)	符合	/
43	邻苯二甲酸二正丁酯(DBP) mg/kg	≤ 0.3	未检出(<0.3)	GB 5009.271-2016(第二法)	符合	/
44	邻苯二甲酸二异壬酯(DINP) mg/kg	≤ 9.0	未检出(<9.0)	GB 5009.271-2016(第二法)	符合	/
45	邻苯二甲酸二(2-乙基)己酯(DEHP) mg/kg	≤ 1.5	未检出(<0.5)	GB 5009.271-2016(第二法)	符合	/
46	双歧杆菌 CFU/g	/	5.7×10^6	GB 4789.35-2023	实测值	/

(以下空白)

注 意 事 项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。

The report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。

The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 3、报告无主检/编制、审核、批准人签名无效。

The report is valid with signature of major inspector, reviewer and approver.

- 4、报告涂改无效。

The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心

National Center of Quality Inspection and Testing on Consumer Goods

- 2、国家家具质量检验检测中心

National Center of Quality Inspection and Testing on Furniture

- 3、国家建筑材料及装饰装修材料质量检验检测中心

National Center of Quality Inspection and Testing on Building and Decoration Materials

- 4、国家智能电网分布式电源装备质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)

- 5、国家电器能效与安全质量检验检测中心

National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance

- 6、国家食品质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Food Products (Shanghai)

- 7、国家保洁产品质量检验检测中心

National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products

- 8、国家电光源质量检验检测中心（上海）

National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)

- 9、国家灯具质量检验检测中心

China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

声 明

Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.

- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。

Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.

- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。

For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.

- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。

Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.

- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。

Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.

上海市质量监督检验技术研究院所属单位一览表

Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)

- 1 食品化学产品质量检验所(代码SP)/ 国家食品质量检验检测中心(上海) / 国家保洁产品质量检验检测中心 / 上海市食品质量监督检验站
Institute of Quality Inspection of Food and Chemicals (SQI_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products
地址:上海市徐汇区苍梧路381号 邮编: 200233
电话: 021-54263362 传真: 021-54265730
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233
Tel: 021-54263362 Fax: 021-54265730
地址:上海市奉贤区平庄西路3086号(日化产品) 邮编: 201499
电话: 021-57493107 传真: 021-57493162
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products) 邮编: 201499
Post: 201499 传真: 021-57493107
E-mail: shihuas@sqi.org.cn Tel: 021-57493107
- 2 上海时代之光照明电器检测有限公司(代码ZM)/ 国家电光源质量检验检测中心(上海) / 国家灯具质量检验检测中心 / 国家轻工业灯具质量监督检测中心 / 上海市照明产品质量监督检验站
Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industry Luminaries / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products
地址: 上海市闵行区江月路900号2号楼 邮编: 201114
电话: 021-54336162, 54336173, 54336181, 54336227 传真: 021-54337200
Address: 2nd Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114
Tel: 021-54336162, 54336173, 54336181, 54336227 Fax: 021-54337200
E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzg@sqi.org.cn
- 3 机电产品质量检验所(代码JD)/上海市机电产品质量监督检验站
Institute of Quality Inspection of Mechanical and Electronic Products(SQI_JD)/ Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products
地址: 上海市静安区万荣路918号 邮编: 200072
电话: 021-56035307, 56652534 传真: 021-56652624
Address: No.918, Wanrong Rd., Jing' an District, Shanghai Post: 200072
Tel: 021-56035307, 56652534 Fax: 021-56652624
E-mail: jds@sqi.org.cn
- 4 轻工与化工产品产品质量检验所(代码QG、HG)/国家日用消费品质量检验检测中心 / 上海市轻工产品质量监督检验站 / 上海市化工产品质量监督检验站
Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products
地址: 上海市闵行区江月路900号3号楼 邮编: 201114
电话: 021-54336172, 54336175 传真: 021-54336175
Address: 3rd Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114
Tel: 021-54336172, 54336175 Fax: 021-54336175
地址: 上海市奉贤区平庄西路3086号 邮编: 201499
电话: 021-54336172, 54336175 传真: 021-54336175
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499
Tel: 021-54336172, 54336175 Fax: 021-54336175
E-mail: qgs@sqi.org.cn, qingggong@sqi.org.cn
- 5 建材家居装饰装修质量检验所(代码JC)/ 国家家具质量检验检测中心 / 国家轻工业家具质量监督检测中心 / 国家轻工业建筑五金质量监督检测中心 / 国家建筑材料及装饰装修材料质量检验检测中心 / 上海市建筑材料及装饰装修材料质量监督检验站 / 上海市室内装饰装修质量监督检验站
Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration
地址: 上海市闵行区江月路900号5号楼 邮编: 201114
电话: 021-54336170, 54336225 传真: 021-54336170
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114
Tel: 021-54336170, 54336225 Fax: 021-54336170
地址: 上海市奉贤区平庄西路3086号 邮编: 201499
电话: 021-57493115 传真: 021-57493162
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499
Tel: 021-57493115 Fax: 021-57493162
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn
- 6 电子电器家用电器质量检验所(代码DZ、DQ)/ 国家电器能效与安全质量检验检测中心 / 国家智能电网分布式电源装备质量检验检测中心(上海)/ 上海市电子电器家用电器质量监督检验站
Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances
地址: 上海市闵行区江月路900号4号楼 邮编: 201114
电话: 021-54336322; 64336605 传真: 021-64313348
E-mail: dzs@sqi.org.cn
Address: 4th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114
Tel: 021-54336322, 64336605 Fax: 021-64313348
E-mail: dzs@sqi.org.cn
地址: 上海市徐汇区苍梧路381号 邮编: 200233
电话: 021-54263097, 64336605 传真: 021-64850806
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233
Tel: 021-54263097, 64336605 Fax: 021-64850806
E-mail: dqs@sqi.org.cn
- 7 计量检测所(代码JL)
Institute of Metrology Inspection(SQI_JL)
地址: 上海市闵行区江月路900号5号楼 邮编: 201114
电话: 021-54336149, 54336148 传真: 021-62892960
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114
Tel: 021-54336149, 54336148
地址: 上海市徐汇区永嘉路627号 邮编: 200031
电话: 021-64372125 传真: 021-64372135
Address: No.627 Yongjia Rd., Xuhui District, Shanghai Post: 201114
Tel: 021-64372125 Fax: 021-64372135
E-mail: jls@sqi.org.cn
- 8 纤维检验所(代码XW)/ 国家日用消费品质量检验检测中心 / 上海市纺织纤维质量监督检验站
Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber
地址: 上海市长乐路1228号 邮编: 200040
电话: 021-62495465 传真: 021-62481025
Address: No.1228, Changle Rd., Shanghai Post: 200040
Tel: 021-62495465 Fax: 021-62481025
E-mail: xws@sqi.org.cn