



180900340733

中国认可
国际互认
检测
TESTING
CNAS L2151SINO SILLIKER TESTING SERVICES(SHANGHAI)CO.,LTD
诺安实力可商品检验(上海)有限公司
2nd,3rd and 4th Floor in 3rd building, No.3576, Zhao Lou Road,
Minhang District, Shanghai
中国上海市闵行区召楼路3576号3幢2层、3层、4层邮编 201112
T电话: 0086-21-64967600
F传真: 0086-21-34975897
<https://www.merieuxnutrisciences.com.cn/>

Certificate of Analysis 分析证书^[1]

No.2009940



扫码下载

To 致: Shanghai AB Food & Beverages Ltd.

上海英联食品饮料有限公司

Address 地址: 8 Lan Cun Road Minhang Econ. & Tech. Dev. Zone, ShangHai, China中国上海闵行区经济技术开发区兰村路8号

Date of Report 报告日期 (yyyy/mm/dd): 2023/12/13

Sample Information 样品信息

The following samples were supplied by/on behalf of the client下列样品是客户或以客户的名义提供的:

Date of Receipt接样日期(yyyy/mm/dd): 2023/11/29

Sample Description 样品描述	Condition on Receipt 接收时状态	Sample ID 样品编号
阿华田黄金大麦经典高麦 牛奶麦芽蛋白固体饮料 规格: 30g/条、30g*6条/盒、30g*25、400g、1150g 2023.11.17 上海英联食品饮料有限公司	Powder/粉末, Room temperature/常温, Plastic bag packaged/塑料袋包装, Prepared by client, taken by lab/客户 备样实验室取样	LR1136826-001

Results apply only to the samples as received. The information in italics are supplied by the client and the client takes responsibility for their authenticity. Without the written permission of the company, any party is prohibited from using the test results and the official CoA for undue publicity. 本结果仅适用于到样。以斜体字显示的信息由客户提供, 其真实性由客户负责。未经我公司书面批准, 不得擅自使用检验结果及证书进行不当宣传。

Edited By 编制人: Ruiqian Zhu 朱蕊倩

Authorised Signatory授权签字人:

Alex Yuan 袁丽红 Report Audit Officer
报告审核专员诺安实力可
检验合格

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

本分析证书 (CoA) 受我公司《服务通用条款》及《检测服务补充条款》约束, 该条款可通过我公司网站或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章(含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

Results 结果

Start Test Date 检测开始日期 : 2023/12/01 End Test Date 检测结束日期 : 2023/12/07

Sections 部门	Analytes (Units) 分析物 (单位)	Methods 方法	LOQ/LOD 定量限/检出限	Results 结果	Specification 限量要求	In Spec 判定
Sample ID 样品编号 : LR1136826-001						
S PC	Sense (Colour; Taste and Odor; State) 感官 (色泽; 滋味、气味; 状态)	GB 7101-2022 3.2	---	色泽: 色泽正常; 滋味、气味: 正常, 无异味、无异嗅; 状态: 状态正常, 无正常视力可见外来异物	色泽: 具有该产品应有的色泽; 滋味、气味: 具有该产品应有的滋味、气味, 无异味、无异嗅; 状态: 具有该产品应有的状态, 无正常视力可见外来异物	Pass 符合
S PC	Moisture 水分 (g/100g)	GB 5009.3-2016 2nd Method 第二法	0.1 (LOQ定量限)	0.51	---	---
S PC	Protein 蛋白质 (N*6.25) (g/100g)	GB 5009.5-2016 1st Method 第一法	0.1 (LOQ定量限)	9.75	---	---
S MT	Lead 铅 (mg/kg)	GB 5009.12-2017 2nd Method 第二法	0.05 (LOQ定量限)	<0.05	R <= 1.0	Pass 符合
S MC	Coliforms 大肠菌群 (CFU/g)	GB 4789.3-2016 2nd Method 第二法	---	<10	n=5,c=2,m=10,M=100	Pass 符合
			---	<10		
			---	<10		
			---	<10		
			---	<10		
S MC	Mould 霉菌 (CFU/g)	GB 4789.15-2016 1st Method 第一法	---	10	R <= 50	Pass 符合
S MC	Aerobic plate count 菌落总数 (CFU/g)	GB 4789.2-2022 Plate Method 平板法	---	1.5×10 ²	n=5,c=2,m=10000,M=50000	Pass 符合
			---	1.4×10 ²		
			---	1.0×10 ²		
			---	90		
			---	2.1×10 ²		
S MC	Salmonella 沙门氏菌 (/25g)	GB 4789.4-2016	---	Not Detected 未检出	n=5,c=0,m=0,M=-	Pass 符合
			---	Not Detected 未检出		
			---	Not Detected 未检出		
			---	Not Detected 未检出		
			---	Not Detected 未检出		

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

本分析证书 (CoA) 受我公司《服务通用条款》及《检测服务补充条款》约束, 该条款可通过我公司网站或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章 (含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。

The specifications are abstracted from GB 7101-2022 as requested by the client. 按照客户要求, 限量要求摘自GB 7101-2022。

Decision Rule : The results are directly compared with the specifications agreed by the client, without considering the impact of uncertainty of measurements. 判定规则: 对结果和客户认可的限值进行了直接比较, 未考虑不确定度的影响。

Memo 备注

[1] 实验室仅对规格30g/条, 生产日期为2023.11.17的样品进行了检测。

-----End of CoA 分析证书结束-----

诺安实力可
商品检验(上海)有限公司
专用章

This Certificate of Analysis (CoA) is subject to our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available at our official website, or on request. CoA authenticity: Electronic CoA in PDF has a digital signature and verification; Hard copy CoA is printed on the unique CoA letterhead; Both electronic and hard copy CoAs are with the authorised signatory's signature, the authorised testing seals including circular normal seal & rectangle paging seal, and QR Code. This CoA shall not be reproduced, except in full, without written approval of the company. The reproduced CoA is invalid if not re-sealed with the authorised testing service seals.

本分析证书 (CoA) 受我公司《服务通用条款》及《检测服务补充条款》约束, 该条款可通过我公司网站或直接索取获得。CoA真伪鉴别: 电子版带有我公司电子签名并通过校验; 纸质版打印在我公司CoA专用纸上; 电子和纸质版均带有我公司授权签字人签名、检验检测专用章(含普通圆形章及骑缝专用长方形章)、以及二维码。未经我公司书面批准, 不得部分复制CoA。复制CoA未重新加盖我公司检验检测专用章无效。