



中国认可
国际互认
检测
TESTING
CNAS L0128




210900110152

(2021)沪市监认验第135号

W022061017372

检测报告

Test Report



HtxSHhjg

产品名称： 奶酪棒（混合水果味）
Name of Sample

规格型号： /
Type

委托单位： 上海芝然乳品科技有限公司
Applicant

检测类别： 委托检测
Test Purpose

上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research



上海市质量监督检验技术研究院

检测报告

报告编号: W022061017372

共5页 第1页

样品名称	奶酪棒 (混合水果味)		检测类别	委托检测
型号规格等级	/合格		商标	妙可蓝多
委托单位	上海芝然乳品科技有限公司			
受检单位	上海芝然乳品科技有限公司			
标称生产单位	上海芝然乳品科技有限公司			
委托书编号	W022061017372	委托/抽样日期	2022. 11. 18	
到样日期	2022. 11. 18	抽样地点	/	
样品数量	2500g	受检批数量	/	
生产日期	生产日期: 20221014	批号/编号	/	
样品到样状态	完好			委托方送样
检测地点	上海市苍梧路381号			
检测依据	见检测依据页			
判定依据	见判定依据页			
检测日期	2022年11月18日 至 2022年11月30日			
检测结论	该样品本次所检项目检测结果符合上述检测依据/判定依据相关规定。详见本报告检测结果汇总表。 <div style="text-align: right; margin-top: 10px;"> (检测报告专用章) 签发日期: 2022年11月30日 </div>			
委托单位通讯资料	地址	上海市奉贤区工业路899号		
	邮编	/	电话	13472897996
备注	本报告检验检测结论是根据检验检测依据/判定依据仅对所检项目得出的, 不代表未经检验检测的项目或功能符合要求。 企业声称: 本款散装产品奶酪棒 (混合水果味) 适用于奶酪棒 (混合水果味) 100g (20g*5支); 奶酪棒 (混合水果味) 380g (20g*19支); 奶酪棒 (混合水果味) 420g (20g*21支) 包装。该信息由企业提供, 实验室对此真实性不承担责任。 注意事项、声明及所属单位一览表为本报告的组成部分。			

批准: 陆志芸
副主任

陆志芸

审核:

吴新

主检:

邵打

检测报告

报告编号: W022061017372

上海市质量监督检验技术研究院

共5页 第2页

检测依据

- GB 25192-2010 《食品安全国家标准 再制干酪》
- GB 5009.6-2016 《食品安全国家标准 食品中脂肪的测定》
- GB 5009.3-2016 《食品安全国家标准 食品中水分的测定》
- GB 5009.12-2017 《食品安全国家标准 食品中铅的测定》
- GB 5009.24-2016 《食品安全国家标准 食品中黄曲霉毒素M族的测定》
- GB 4789.2-2016 《食品安全国家标准 食品微生物学检验 菌落总数测定》
- GB 4789.3-2016 《食品安全国家标准 食品微生物学检验 大肠菌群计数》
- GB 4789.10-2016 《食品安全国家标准 食品微生物学检验 金黄色葡萄球菌检验》
- GB 4789.4-2016 《食品安全国家标准 食品微生物学检验 沙门氏菌检验》
- GB 4789.30-2016 《食品安全国家标准 食品微生物学检验 单核细胞增生李斯特氏菌检验》
- GB 4789.15-2016 《食品安全国家标准 食品微生物学检验 霉菌和酵母计数》
- GB/T 22388-2008 《原料乳与乳制品中三聚氰胺检测方法》
- GB 5009.28-2016 《食品安全国家标准 食品中苯甲酸、山梨酸和糖精钠的测定》

检测报告

报告编号: W022061017372

上海市质量监督检验技术研究院

共5页 第3页

判定依据

GB 25192-2010 《食品安全国家标准 再制干酪》
GB 2762-2017 《食品安全国家标准 食品中污染物限量》
GB 2761-2017 《食品安全国家标准 食品中真菌毒素限量》
卫生部、工业和信息化部、农业部、工商总局、质检总局公告2011年第10号 《关于三聚氰胺在食品中的限量值的公告》
GB 2760-2014 《食品安全国家标准 食品添加剂使用标准》
GB 29921-2011 《食品安全国家标准 预包装食品中致病菌限量》

检测报告

报告编号: W022061017372

共5页 第4页

上海市质量监督检验技术研究院

检测结果汇总

序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
1	色泽	色泽均匀。	正常	GB 25192-2010 (4.2)	符合	/
2	滋味、气味	易溶于口,有奶油润滑感,并有产品特有的滋味、气味。	正常	GB 25192-2010 (4.2)	符合	/
3	组织状态	外表光滑;结构细腻、均匀、润滑,应有与产品口味相关原料的可见颗粒。无正常视力可见的外来杂质。	正常	GB 25192-2010 (4.2)	符合	/
4	脂肪(干物中)(X ₁)	% 25.0≤X ₁ <45.0	39.0	GB 5009.6-2016 (第三法)	符合	/
5	最小干物质含量(X ₂)	% ≥31	43.9	GB 5009.3-2016 (第一法)	符合	/
6	铅(以Pb计)	mg/kg ≤0.3	未检出 (<0.05)	GB 5009.12-2017 (第二法)	符合	/
7	黄曲霉毒素M ₁	μg/kg ≤0.5	未检出 (<0.05)	GB 5009.24-2016 (第二法)	符合	/
8	菌落总数	CFU/g n=5 c=2 m=100 M=1000	<10; <10; <10 ; <10; <10	GB 4789.2-2016	符合	/
9	大肠菌群	CFU/g n=5 c=2 m=100 M=1000	<10; <10; <10 ; <10; <10	GB 4789.3-2016 (第二法)	符合	/
10	金黄色葡萄球菌	CFU/g n=5 c=2 m=100 M=1000	<10; <10; <10 ; <10; <10	GB 4789.10-2016 (第二法)	符合	/
11	沙门氏菌	n=5 c=0 m=0/25g	未检出; 未检出; 未检出; 未检出; 未检出	GB 4789.4-2016	符合	/
12	单核细胞增生李斯特氏菌	n=5 c=0 m=0/25g	未检出; 未检出; 未检出; 未检出; 未检出	GB 4789.30-2016 (第一法)	符合	/
13	霉菌	CFU/g ≤50	<10	GB 4789.15-2016 (第一法)	符合	/
14	酵母	CFU/g ≤50	<10	GB 4789.15-2016 (第一法)	符合	/
15	三聚氰胺	mg/kg ≤2.5	未检出 (<2)	GB/T 22388-2008 (第一法)	符合	/

检测报告

报告编号: W022061017372

上海市质量监督检验技术研究院

共5页 第5页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
16	山梨酸及其钾盐(以山梨酸计)	g/kg ≤1.0	0.345	GB 5009.28-2016 (第一法)	符合	/

(以下空白)

注 意 事 项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。
The report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。
The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.
- 3、报告无主检/编制、审核、批准人签名无效。
The report is valid with signature of major inspector, reviewer and approver.
- 4、报告涂改无效。
The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心
National Center of Quality Inspection and Testing on Consumer Goods
- 2、国家家具质量检验检测中心
National Center of Quality Inspection and Testing on Furniture
- 3、国家建筑材料及装饰装修材料质量检验检测中心
National Center of Quality Inspection and Testing on Building and Decoration Materials
- 4、国家智能电网分布式电源装备质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)
- 5、国家电器能效与安全质量检验检测中心
National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance
- 6、国家食品质量检验检测中心（上海）
National Center of Quality Inspection and Testing on Food Products (Shanghai)
- 7、国家保洁产品质量检验检测中心
National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products
- 8、国家电光源质量检验检测中心（上海）
National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)
- 9、国家灯具质量检验检测中心
China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

声 明

Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。
SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.
- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。
Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.
- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。
For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.
- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。
Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.
- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。
Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.

上海市质量监督检验技术研究院所属单位一览表

Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)



- 1 食品化学品质量检验所(代码SP)/ 国家食品质量检验检测中心(上海) / 国家保洁产品质量检验检测中心 / 上海市食品质量监督检验站
 Institute of Quality Inspection of Food and Chemicals (SQI_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products
 地址:上海市徐汇区苍梧路381号
 电话: 021-54263362
 Address: No.381, Cangwu Rd., Xuhui District, Shanghai
 Tel: 021-54263362
 地址:上海市奉贤区平庄西路3086号(日化产品)
 电话: 021-57493107
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products)
 Post: 201499
 E-mail: shihuas@sqi.org.cn
 邮编: 200233
 传真: 021-54265730
 Post: 200233
 Fax: 021-54265730
 邮编: 201499
 传真: 021-57493162
 Tel: 021-57493107

- 2 上海时代之光照明电器检测有限公司(代码ZM)/ 国家电光源质量检验检测中心(上海) / 国家灯具质量检验检测中心 / 国家轻工业灯具质量监督检测中心 / 上海市照明产品质量监督检验站
 Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminaries / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products
 地址:上海市闵行区江月路900号2号楼
 电话: 021-54336162, 54336173, 54336181, 54336227
 Address: 2nd Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336162, 54336173, 54336181, 54336227
 E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzg@sqi.org.cn
 邮编: 201114
 传真: 021-54337200
 Post: 201114
 Fax: 021-54337200

- 3 机电产品质量检验所(代码JD)/上海市机电产品质量监督检验站
 Institute of Quality Inspection of Mechanical and Electronic Products(SQI_JD)/ Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products
 地址:上海市静安区万荣路918号
 电话: 021-56035307, 56652534
 Address: No.918, Wanrong Rd., Jing' an District, Shanghai
 Tel: 021-56035307, 56652534
 E-mail: jds@sqi.org.cn
 邮编: 200072
 传真: 021-56652624
 Post: 200072
 Fax: 021-56652624

- 4 轻工与化工产品质量检验所(代码QG、HG)/国家日用消费品质量检验检测中心 / 上海市轻工产品质量监督检验站 / 上海市化工产品质量监督检验站
 Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products
 地址:上海市闵行区江月路900号3号楼
 电话: 021-54336172, 54336175
 Address: 3rd Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336172, 54336175
 地址:上海市奉贤区平庄西路3086号
 电话: 021-54336172, 54336175
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
 Tel: 021-54336172, 54336175
 E-mail: qgs@sqi.org.cn, qingggong@sqi.org.cn
 邮编: 201114
 传真: 021-54336175
 Post: 201114
 Fax: 021-54336175
 邮编: 201499
 传真: 021-54336175
 Post: 201499
 Fax: 021-54336175

- 5 建材家居装饰装修质量检验所(代码JC)/ 国家家具质量检验检测中心 / 国家轻工业家具质量监督检测中心 / 国家轻工业建筑五金质量监督检测中心 / 国家建筑材料及装饰装修材料质量检验检测中心 / 上海市建筑材料及装饰装修材料质量监督检验站 / 上海市室内装饰质量监督检验站
 Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration
 地址:上海市闵行区江月路900号5号楼
 电话: 021-54336170, 54336225
 Address: 5th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336170, 54336225
 地址:上海市奉贤区平庄西路3086号
 电话: 021-57493115
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
 Tel: 021-57493115
 E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn
 邮编: 201114
 传真: 021-54336170
 Post: 201114
 Fax: 021-54336170
 邮编: 201499
 传真: 021-57493162
 Post: 201499
 Fax: 021-57493162

- 6 电子电器家用电器质量检验所(代码DZ、DQ)/ 国家电器能效与安全质量检验检测中心 / 国家智能电网分布式电源装备质量检验检测中心(上海) / 上海市电子电器家用电器质量监督检验站
 Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances
 地址:上海市闵行区江月路900号4号楼
 电话: 021-54336322; 64336605
 E-mail: dzs@sqi.org.cn
 Address: 4th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336322, 64336605
 E-mail: dzs@sqi.org.cn
 地址:上海市徐汇区苍梧路381号
 电话: 021-54263097, 64336605
 Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233
 Tel: 021-54263097, 64336605
 E-mail: dqs@sqi.org.cn
 邮编: 201114
 传真: 021-64313348
 Post: 201114
 Fax: 021-64313348
 邮编: 200233
 传真: 021-64850806
 Post: 200233
 Fax: 021-64850806

- 7 计量检测所(代码JL)
 Institute of Metrology Inspection(SQI_JL)
 地址:上海市闵行区江月路900号5号楼
 电话: 021-54336149, 54336148
 Address: 5th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336149, 54336148
 地址:上海市徐汇区永嘉路627号
 电话: 021-64372125
 Address: No.627 Yongjia Rd., Xuhui District, Shanghai
 Tel: 021-64372125
 E-mail: jls@sqi.org.cn
 邮编: 201114
 传真: 021-62892960
 Post: 201114
 Post: 200031
 邮编: 200031
 传真: 021-64372135
 Post: 201114
 Fax: 021-64372135

- 8 纤维检验所(代码XW)/ 国家日用消费品质量检验检测中心 / 上海市纺织纤维质量监督检验站
 Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber
 地址:上海市长乐路1228号
 电话: 021-62495465
 Address: No.1228, Changle Rd., Shanghai
 Tel: 021-62495465
 E-mail: xws@sqi.org.cn
 邮编: 200040
 传真: 021-62481025
 Post: 200040
 Fax: 021-62481025