



中国认可
国际互认
检测
TESTING
CNAS L0128



210900110152

(2021)沪市监认验第135号

JS2310210109

检 验 报 告

Test Report

产品名称： TXZ-榉木蛋卷桌（中号）/克米特武椅

规格型号： //探险者-0515

被抽样生产者、
销售者： 上海熠典电子商务有限公司

检验类别： 省级监督抽查

上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research



上海市质量监督检验技术研究院

检验报告

报告编号: JS2310210109

共8页 第1页

| | | | | | |
|--------------|---|---------------------|------------------|----------|--------------|
| 任务来源 | 上海市市场监督管理局XB202305J1061号 | | | 检验类别 | 省级监督抽查 |
| 被抽样生产者、销售者名称 | 上海熠典电子商务有限公司 | | | 电子商务平台名称 | 京东 |
| 产品标识信息 | 产品名称 | TXZ-榉木蛋卷桌(中号)/克米特武椅 | | 规格型号 | //探险者-0515 |
| | 生产者名称 | 绍兴上虞野营者户外用品有限公司 | | | |
| | 商品条码 | / | | 生产日期 | 未标注 |
| | 质量等级 | 合格品 | | 商标 | 探险者 |
| 抽样日期 | 2023.06.14 | 样品状态描述 | 完好 | 样品批量 | / |
| 检验样品数量 | 2件 | 备用样品数量 | 1件 | 备用样品封存地点 | 检验机构 |
| 到样日期 | 2023.06.15 | 抽样单编号 | XB202305J1061032 | 电商买样订单号 | 276539603208 |
| 抽样地点 | 网购 | | | | |
| 检验依据 | GB 28478-2012 户外休闲家具安全性能要求 桌椅类产品 GB 18401-2010 国家纺织产品基本安全技术规范 | | | | |
| 判定依据 | SHSSXZ0314-2023 户外休闲家具上海市产品质量监督抽查实施细则 | | | | |
| 检验日期 | 2023年06月16日 至 2023年08月01日 | | | | |
| 检验结论 | <p>经抽样检验,本次产品质量监督抽查所检项目符合上述检验依据和相关规定。</p> <div style="text-align: right;">  <p>签发日期: 2023年08月03日</p> </div> | | | | |
| 备注 | <p>本报告检验检测结论是根据检验检测依据/判定依据仅对所检项目得出的,不代表未经检验检测的项目或功能符合要求。 https://item.jd.com/10034094467803.html 注意事项、声明及所属单位一览表为本报告的组成部分。</p> | | | | |

编制/检验:

黄伟

审核:

娜晨岚

批准:

朱静霞

检测报告

报告编号: JS2310210109

上海市质量监督检验技术研究院

共8页 第2页

检测结果汇总

| 序号 | 检测项目 | 技术要求 | 检测结果 | 单项判定 | 备注 | |
|------------------------------------|-----------------|---|--|---------------------|-----|-------|
| 1 | 边和角 | 对于椅子,当使用者坐、靠、躺时,能直接接触使用者的部件(如椅座、靠背、扶手)应经倒圆或倒角处理。 | - | 符合 | 非椅子 | |
| | | 对于桌子,直接接触使用者的边、角应经倒圆或倒角处理。 | 直接接触使用者的边、角经倒圆或倒角处理。 | | | |
| | | 使用时能直接接触到的座椅和桌子的任何其他的边、角,应无毛刺、尖锐边。 | 无缺陷 | | | |
| | 使用时可接触到的管件、孔和间隙 | 使用时可接触到的管件、孔和间隙应封闭。无论从哪个方向,如用试验棒能够塞进管件、孔或间隙,塞进的深度大于10mm,并且不能以30N的力从相反的方向拔出来时,应封闭管脚端口。 | 无缺陷 | 符合 | / | |
| | 安全要求(桌类) | 剪切和挤压点 | 放置和折叠时的剪切和挤压点:如剪切和挤压点仅在放置和折叠时产生,并且使用者有能力控制其本人的运动,能在夹痛时能够及时停止该力,部件可允许出现剪切和挤压点。除了6.1.3.3和6.1.3.4规定的情况,其他情况均适用此条。 | 无缺陷 | 符合 | 无驱动装置 |
| | | | 部件因相对运动产生的边和角应符合6.1.1的规定。 | 无缺陷 | | |
| | | | 驱动装置作用下的剪切和挤压点:由驱动装置(如机械弹簧、气压提升装置)操作的家具产生的剪切和挤压点应接触不到。 | - | | |
| | | | 使用时的剪切和挤压点:在正常使用,除非使用者对使用状况可有效控制,从而使自己不受伤害,否则载荷不应出现可接触的剪切和挤压点。 | 无缺陷 | | |
| | | | 使用时的剪切和挤压点:在进行正常的运动和动作时,如提起椅座或调整靠背的情况下,由于使用者的质量而导致危险的产生,不应出现剪切和挤压点。即:在载荷或体重作用下,不出现剪切和挤压点。 | 无缺陷 | | |
| | 2 | 安全要求(椅类) | 对于椅子,当使用者坐、靠、躺时,能直接接触使用者的部件(如椅座、靠背、扶手)应经倒圆或倒角处理。 | 直接接触使用者的部件经倒圆或倒角处理。 | 符合 | 非桌子 |
| 对于桌子,直接接触使用者的边、角应经倒圆或倒角处理。 | | | - | | | |
| 使用时能直接接触到的座椅和桌子的任何其他的边、角,应无毛刺、尖锐边。 | | | 无缺陷 | | | |

检测报告

报告编号: JS2310210109

上海市质量监督检验技术研究院

共8页 第3页

检测结果汇总

| 序号 | 检测项目 | 技术要求 | 检测结果 | 单项判定 | 备注 | |
|----|-------------------------|---|---|---------|----|---------|
| 2 | 使用时可接触到的管 件、孔和间隙 | 使用时可接触到的管件、孔和间隙应封闭。无论从哪个方向, 如用试验棒能够塞进管件、孔或间隙, 塞进的深度大于10mm, 并且不能以30N的力从相反的方向拔出来时, 应封闭管脚端口。 | 无缺陷 | 符合 | / | |
| | 安全要求 (椅 类) | 剪切和挤压点 | 放置和折叠时的剪切和挤压点: 如剪切和挤压点仅在放置和折叠时产生, 并且使用者有能力控制其本人的运动, 能在夹痛时能够及时停止该力, 部件可允许出现剪切和挤压点。除了6.1.3.3和6.1.3.4规定的情况, 其他情况均适用此条。 | 无缺陷 | 符合 | 无驱动装置 |
| | | 部件因相对运动产生的边和角应符合6.1.1的规定。 | 无缺陷 | | | |
| | | 驱动装置作用下的剪切和挤压点: 由驱动装置(如机械弹簧、气压提升装置)操作的家具产生的剪切和挤压点应接触不到。 | - | | | |
| | | 使用时的剪切和挤压点: 在正常使用, 除非使用者对使用状况可有效控制, 从而使自己不受伤害, 否则载荷不应出现可接触的剪切和挤压点。 | 无缺陷 | | | |
| | | 使用时的剪切和挤压点: 在进行正常的运动和动作时, 如提起椅座或调整靠背的情况下, 由于使用者的质量而导致危险的产生, 不应出现剪切和挤压点。即: 在载荷或体重作用下, 不出现剪切和挤压点。 | 无缺陷 | | | |
| 3 | 用料要求 (桌 类) | 金属件耐盐雾 | 锈点 ≤ 20 点/dm ² , 其中直径1.5mm的锈点不应超过5点。 | 锈点数: 0点 | 符合 | / |
| 4 | 用料要求 (椅 类) | 金属件耐盐雾 | 锈点 ≤ 20 点/dm ² , 其中直径1.5mm的锈点不应超过5点。 | 锈点数: 0点 | 符合 | |
| 5 | 椅类产品力学 性能要求 (野 营) | 座背静载荷—一般椅子的座背静载荷 | 无破坏或明显变形, 且不影响使用功能 (明示要求: 承重120kg) | 无损 | 符合 | |
| | | 座背静载荷—倾斜椅和靠椅的附加静载荷 | 无破坏或明显变形, 且不影响使用功能 | - | / | 非倾斜椅和靠椅 |
| | | 座背静载荷—平躺式躺椅的附加静载荷 | 无破坏或明显变形, 且不影响使用功能 | - | / | 非平躺式躺椅 |
| | | 座面前沿静载荷 | 无破坏或明显变形, 且不影响使用功能 (明示要求: 承重120kg) | 无损 | 符合 | / |
| | | 扶手垂直向下静载荷 | 无破坏或明显变形, 且不影响使用功能 | - | / | 野营用 |

检测报告

报告编号: JS2310210109

上海市质量监督检验技术研究院

共8页 第4页

检测结果汇总

| 序号 | 检测项目 | | 技术要求 | 检测结果 | 单项判定 | 备注 | |
|----|----------------|----------------|--------------------|-------|------|---------|----------|
| 5 | 椅类产品力学性能要求(野营) | 椅腿前向静载荷 | 无破坏或明显变形, 且不影响使用功能 | 无损 | 符合 | / | |
| | | 椅腿侧向静载荷 | 无破坏或明显变形, 且不影响使用功能 | 无损 | 符合 | | |
| | | 座面冲击 | 无破坏或明显变形, 且不影响使用功能 | 无损 | 符合 | | |
| | | 前向倾翻 | 试验中应无倾翻 | - | / | | 总质量小于5kg |
| | | 后向倾翻 | 试验中应无倾翻 | 无倾翻 | 符合 | | / |
| | | 侧向倾翻 | 试验中应无倾翻 | - | / | | 总质量小于5kg |
| 6 | 桌类产品力学性能要求(野营) | 主桌面垂直静载荷 | 无破坏或明显变形, 且不影响使用功能 | 无损 | 符合 | / | |
| | | 垂直稳定性 | 无倾翻 | 无倾翻 | 符合 | | |
| | | 带太阳伞支撑功能的桌子稳定性 | 无倾翻 | - | / | | 无太阳伞支撑功能 |
| 7 | 甲醛含量 | mg/kg | C类 ≤300 | 未检出 | 符合 | 方法检出限20 | |
| 8 | 染色牢度 | 耐水(变色、沾色) | 级 | C类 ≥3 | 4-5 | 符合 | / |
| | | 耐酸汗渍(变色、沾色) | 级 | C类 ≥3 | 4-5 | 符合 | |
| | | 耐碱汗渍(变色、沾色) | 级 | C类 ≥3 | 4-5 | 符合 | |
| | | 耐干摩擦 | 级 | C类 ≥3 | 4-5 | 符合 | |
| 9 | 可分解致癌芳香胺染料 | mg/kg | 禁用 | 未检出 | 符合 | 方法检出限5 | |

检测报告

报告编号: JS2310210109

质量监督检验技术研究院

共8页 第5页



检测报告

报告编号: JS2310210109

监督检验技术研究院

共8页 第6页



检测报告

报告编号: JS2310210109

上海市质量监督检验技术研究院

共8页 第7页



检测报告

报告编号: JS2310210109

监督检验技术研究院

共8页 第8页



(以下空白)

注意事项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。

The report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。

The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 3、报告无主检/编制、审核、批准人签名无效。

The report is valid with signature of major inspector, reviewer and approver.

- 4、报告涂改无效。

The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心

National Center of Quality Inspection and Testing on Consumer Goods

- 2、国家家具质量检验检测中心

National Center of Quality Inspection and Testing on Furniture

- 3、国家建筑材料及装饰装修材料质量检验检测中心

National Center of Quality Inspection and Testing on Building and Decoration Materials

- 4、国家智能电网分布式电源装备质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)

- 5、国家电器能效与安全质量检验检测中心

National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance

- 6、国家食品质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Food Products (Shanghai)

- 7、国家保洁产品质量检验检测中心

National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products

- 8、国家电光源质量检验检测中心（上海）

National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)

- 9、国家灯具质量检验检测中心

China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

声明

Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.

- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。

Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.

- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。

For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.

- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。

Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.

- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。

Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.

上海市质量监督检验技术研究院所属单位一览表

Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)

- 1 食品化学产品质量检验所(代码SP)/国家食品质量检验检测中心(上海)/国家保洁产品质量检验检测中心/上海市食品质量监督检验站
 Institute of Quality Inspection of Food and Chemicals (SQI_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products
 地址:上海市徐汇区苍梧路381号
 电话: 021-54263362
 Address: No.381, Cangwu Rd., Xuhui District, Shanghai
 Tel: 021-54263362
 地址:上海市奉贤区平庄西路3086号(日化产品)
 电话: 021-57493107
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products)
 Post: 201499
 E-mail: shihuas@sqi.org.cn
 邮编: 200233
 传真: 021-54265730
 Post: 200233
 Fax: 021-54265730
 邮编: 201499
 传真: 021-57493162
 Tel: 021-57493107

- 2 上海时代之光照明电器检测有限公司(代码ZM)/国家电光源质量检验检测中心(上海)/国家灯具质量检验检测中心/国家轻工业灯具质量监督检测中心/上海市照明产品质量监督检验站
 Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminaries / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products
 地址:上海市闵行区江月路900号2号楼
 电话: 021-54336162, 54336173, 54336181, 54336227
 Address: 2nd Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336162, 54336173, 54336181, 54336227
 E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzq@sqi.org.cn
 邮编: 201114
 传真: 021-54337200
 Post: 201114
 Fax: 021-54337200

- 3 机电产品质量检验所(代码JD)/上海市机电产品质量监督检验站
 Institute of Quality Inspection of Mechanical and Electronic Products(SQI_JD)/ Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products
 地址:上海市静安区万荣路918号
 电话: 021-56035307, 56652534
 Address: No.918, Wanrong Rd., Jing'an District, Shanghai
 Tel: 021-56035307, 56652534
 E-mail: jds@sqi.org.cn
 邮编: 200072
 传真: 021-56652624
 Post: 200072
 Fax: 021-56652624

- 4 轻工与化工产品质量检验所(代码QG、HG)/国家日用消费品质量检验检测中心/上海市轻工产品质量监督检验站/上海市化工产品质量监督检验站
 Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products
 地址:上海市闵行区江月路900号3号楼
 电话: 021-54336172, 54336175
 Address: 3rd Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336172, 54336175
 地址:上海市奉贤区平庄西路3086号
 电话: 021-54336172, 54336175
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
 Tel: 021-54336172, 54336175
 E-mail: qqs@sqi.org.cn, qingong@sqi.org.cn
 邮编: 201114
 传真: 021-54336175
 Post: 201114
 Fax: 021-54336175
 邮编: 201499
 传真: 021-54336175
 Post: 201499
 Fax: 021-54336175

- 5 建材家居装饰装修质量检验所(代码JC)/国家家具质量检验检测中心/国家轻工业家具质量监督检测中心/国家轻工业建筑五金质量监督检测中心/国家建筑材料及装饰装修材料质量检验检测中心/上海市建筑材料及装饰装修材料质量监督检验站/上海市室内装饰质量监督检验站
 Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration
 地址:上海市闵行区江月路900号5号楼
 电话: 021-54336170, 54336225
 Address: 5th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336170, 54336225
 地址:上海市奉贤区平庄西路3086号
 电话: 021-57493115
 Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
 Tel: 021-57493115
 E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn
 邮编: 201114
 传真: 021-54336170
 Post: 201114
 Fax: 021-54336170
 邮编: 201499
 传真: 021-57493162
 Post: 201499
 Fax: 021-57493162

- 6 电子电器家用电器质量检验所(代码DZ、DQ)/国家电器能效与安全质量检验检测中心/国家智能电网分布式电源装备质量检验检测中心(上海)/上海市电子电器家用电器质量监督检验站
 Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances
 地址:上海市闵行区江月路900号4号楼
 电话: 021-54336322; 64336605
 E-mail: dzs@sqi.org.cn
 Address: 4th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-54336322, 64336605
 E-mail: dzs@sqi.org.cn
 地址:上海市徐汇区苍梧路381号
 电话: 021-54263097, 64336605
 Address: No.381, Cangwu Rd., Xuhui District, Shanghai
 Tel: 021-54263097, 64336605
 E-mail: dqs@sqi.org.cn
 邮编: 201114
 传真: 021-64313348
 Post: 201114
 Fax: 021-64313348
 邮编: 200233
 传真: 021-64850806
 Fax: 021-64850806

- 7 计量检测所(代码JL)
 Institute of Metrology Inspection(SQI_JL)
 地址:上海市闵行区江月路900号5号楼
 电话: 021-64336148
 Address: 5th Building, No.900, Jianguyue Rd., Minhang District, Shanghai
 Tel: 021-64336148, 54336148
 地址:上海市徐汇区五洲路527号
 电话: 021-64337125
 Address: No.527 Yongle Rd., Xuhui District, Shanghai
 Tel: 021-64337125
 E-mail: jls@sqi.org.cn
 邮编: 201114
 传真: 021-62892960
 Post: 201114
 Post: 200031
 邮编: 200031
 传真: 021-64372135
 Post: 201114
 Fax: 021-64372135

- 8 纤维检验所(代码XW)/国家日用消费品质量检验检测中心/上海市纺织纤维质量监督检验站
 Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber
 地址:上海市长乐路1228号
 电话: 021-62485485
 Address: No.1228, Changle Rd., Shanghai
 Tel: 021-62485485
 E-mail: xws@sqi.org.cn
 邮编: 200040
 传真: 021-62481025
 Post: 200040
 Fax: 021-62481025

JS309

上海市市场监督管理局
产品质量监督抽查结果通知书

编号: XB202305J10610321

绍兴上虞野营者户外用品有限公司:

依据《中华人民共和国产品质量法》《上海市产品质量条例》等法律法规, 我局对你单位 TXZ-榉木蛋卷桌(中号)/克米特武椅 产品进行了质量监督抽查, 结果为 (不合格; 未发现不合格), 检验报告附后。

你单位如对监督抽查结果无异议, 应当按照有关法律法规规定及所在地市场监督管理部门的要求进行整改; 如对监督抽查结果有异议, 应当自收到本通知书 15 日内向我局提出书面 (传真或寄送文本) 异议及相关证明材料, 异议材料应事实清楚, 诉求明确, 并提供有效联系方式。逾期未书面反馈的, 视为认可监督抽查结果。如无异议,

上海市市场监督管理局

消费者权益保护处

上海市肇嘉浜路 301 号 2705 室

异议受理单位: _____ 地址: _____

传 真: / 电话: 64220000*2737、2738 邮编: 200032



上海市市场监督管理局

2023 年 08 月 14 日