



230000122832



中国认可  
检测  
TESTING  
CNAS L 1587

# 检验报告

## TEST REPORT



检验受理编号 : HW202402683

Acceptance Number : HW202402683

样品名称 : 逐本清欢植萃柔感净颜卸妆膏

Sample Name : ZHUBEN DREAM RIVER BOTANICAL SOFT PURIFIED CLEANSING BALM

委托单位 : 杭州舒彩网络科技有限公司

Applicant : Hangzhou Shucan Network Technology Co., Ltd.

生产单位 : 鹏诺生物医药科技(上海)有限公司

Manufacturer : Linuo Biomedical Technology(Shanghai) Co., Ltd.

苏州海关综合技术中心  
COMPREHENSIVE TECHNOLOGY CENTER OF SUZHOU CUSTOMS

检验报告  
TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

下列信息由客户提供及确认 The following information was confirmed by the client				
样品信息 Sample information	样品名称 Name	逐本清欢植萃柔感净颜卸妆膏 ZHUBEN DREAM RIVER BOTANICAL SOFT PURIFIED CLEANSING BALM		
	批号或生产日期 Production date/Batch No.	24H055L2		
	保质期或限用日期 Expiration Expiration date	2027/6/4		
	样品性状 State	膏状 paste		
	规格型号 Specifications	100mL/支 100mL/pcs		
	样品数量 Quantities	6 支 6 pieces		
客户信息 Client Information	委托单位 Applicant	杭州舒彩网络科技有限公司 Hangzhou Shucai Network Technology Co., Ltd.		
	生产单位 Manufacturer	鹏诺生物医药科技(上海)有限公司 Linuo Biomedical Technology(Shanghai) Co., Ltd.		
实验室的说明如下 The instructions of the lab are as following				
检验信息 Testing information	检验类别 Testing type	委托检验 Entrusted test		
	样品送达日期 Receiving date	2024.06.28	检验周期 Testing period	2024.06.28-2024.07.04
	检测依据 Test Standard	《化妆品安全技术规范》(2015年版)、GB/T 35914-2018 Safety and Technical Standards for Cosmetics (2015)、 GB/T 35914-2018		
检验结论 Test results	根据《化妆品安全技术规范》(2015年版)、GB/T 35914-2018, 对委托方送检样品进行感官、理化、微生物试验, 在本单位试验条件下, 试验结果表明: 样品所检项目中铅、砷、汞、镉、甲醇、二噁烷、菌落总数、耐热大肠菌群、铜绿假单胞菌、金黄色葡萄球菌、霉菌和酵母菌总数检测结果符合《化妆			

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心

邮编 (P.C): 215104

Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center

电话 (Tel): 86-512-66351052

传真 (Fax): 86-512-66351051

STC-5-C-2.0002-A

# 检验报告

## TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

<p>品安全技术规范》(2015年版)要求;其他项目符合 GB/T 35914-2018 要求。</p> <p>According to Safety and Technical Standards for Cosmetics (2015), GB/T 35914-2018, the sensory, physicochemical and microbial tests on the samples submitted by the client. Under the test conditions of the unit, The test results showed that:</p> <p>The test results of Pb, As, Hg, Cd, Methanol, Dioxane, Aerobic Bacterial Count, Thermotolerant coliform bacteria, Pseudomonas aeruginosa, Staphylococcus aureus, Molds and Yeast count were in line with the requirements of Safety and Technical Standards for Cosmetics (2015). Other items meet the requirements of GB/T 35914-2018.</p>
---

\* \* \* \* \*

授权签字人:  
AUTHORIZED SIGNATURE



\*\*\*本页结束\*\*\*  
\*\*\*End of page\*\*\*

声明:本报告仅对来样负责。委托人对本实验室的检验结果有异议的,可在收到检测结果之日起十五日以内提出。未经本实验室书面同意,不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心  
Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center  
电话 (Tel): 86-512-66351052  
STC-5-C-2.0002-A  
邮编 (P.C): 215104  
传真 (Fax): 86-512-66351051

# 检验报告

## TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

### 检验结果(感官):

#### TESTING RESULTS(The sensory):

检测项目 Item inspected	结果单位 Result Unit	技术要求 Technical requirement	检测方法 Inspection method	检测结果 Test results	单项评判 Evaluation results
外观 Appearance	/	均匀一致 Uniform and consistent	GB/T 35914-2018	符合要求 Compliant	符合 Qualified
香气 Aroma	/	与对照样一致 Same as the control	GB/T 35914-2018	符合要求 Compliant	符合 Qualified
色泽 Colour	/	与对照样一致 Same as the control	GB/T 35914-2018	符合要求 Compliant	符合 Qualified

\*\*\*本页结束\*\*\*

\*\*\*End of page\*\*\*

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心

邮编 (P.C): 215104

Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center

电话 (Tel): 86-512-66351052

传真 (Fax): 86-512-66351051

STC-5-C-2.0002-A

检验报告  
TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

检验结果(理化):

TESTING RESULTS(Physicochemical testing):

检测项目 Item inspected	结果单位 Result Unit	技术要求 Technical requirement	检测方法 Detection method	检测结果 Test results	方法检出浓度 Detection concentration	单项评判 Evaluation results
铅 Pb	mg/kg	≤10	《化妆品安全技术规范》(2015年版)第四章 1.6 电感耦合等离子体质谱法 Chapter 4,1.6 Inductively Coupled Plasma Mass Spectrometry of the Safety and technicalStandards for Cosmetics(2015)	<0.03	0.03	符合 Qualified
砷 As	mg/kg	≤2	《化妆品安全技术规范》(2015年版)第四章 1.6 电感耦合等离子体质谱法 Chapter 4,1.6 Inductively Coupled Plasma Mass Spectrometry of the Safety and technicalStandards for Cosmetics(2015)	<0.001	0.001	符合 Qualified

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心

邮编 (P.C): 215104

Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center

电话 (Tel): 86-512-66351052

传真 (Fax): 86-512-66351051

STC-5-C-2.0002-A

检验报告  
TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

汞 Hg	mg/kg	≤1	《化妆品安全技术规范》(2015年版)第四章 1.6 电感耦合等离子体质谱法 Chapter 4,1.6 Inductively Coupled Plasma Mass Spectrometry of the Safety and technicalStandards for Cosmetics(2015)	<0.001	0.001	符合 Qualified
镉 Cd	mg/kg	≤5	《化妆品安全技术规范》(2015年版)第四章 1.6 电感耦合等离子体质谱法 Chapter 4,1.6 Inductively Coupled Plasma Mass Spectrometry of the Safety and technicalStandards for Cosmetics(2015)	<0.001	0.001	符合 Qualified
甲醇 Methanol	mg/kg	≤2000	《化妆品安全技术规范》(2015年版)第四章 2.22 第一法 气相色谱法(直接法) Chapter 4, Section 2.22, Method 1, Gas Chromatography (Direct Method) of the Safety and technicalStandards for Cosmetics(2015)	<25	25	符合 Qualified

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心  
Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center  
电话 (Tel): 86-512-66351052  
STC-5-C-2.0002-A

邮编 (P.C): 215104

传真 (Fax): 86-512-66351051

检验报告  
TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

二噁烷 Dioxane	mg/kg	≤30	《化妆品安全技术规范》(2015年版)第四章 2.19 第二法 气相色谱-质谱法 Chapter 4, Section 2.19, Method 2, Gas Chromatography Mass Spectrometry of the Safety and technical Standards for Cosmetics(2015)	<1	1	符合 Qualified
耐热 Heat resistance	/	(40±1)℃保持 24h, 恢复至室温后与试验前比较无明显性状差异 After being kept at (40±1)℃ for 24h, there was no significant difference between the properties after being restored to room temperature and those before the test	GB/T 35914-2018	符合要求 Compliant	/	符合 Qualified

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心  
Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center  
电话 (Tel): 86-512-66351052  
STC-5-C-2.0002-A

邮编 (P.C): 215104

传真 (Fax): 86-512-66351051

检验报告  
TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

耐寒 Cold resistance	/	(-8±2) °C 保持 24h, 恢复至室温后, 与试验前无明显差异 After being kept at (-8 ± 2) °C for 24 hours and restored to room temperature, there was no significant difference compared to before the test	GB/T 35914-2018	符合要求 Compliant	/	符合 Qualified
--------------------------	---	--	-----------------	-------------------	---	-----------------

\*\*\*本页结束\*\*\*  
\*\*\*End of page\*\*\*

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心  
Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center  
电话 (Tel): 86-512-66351052  
STC-5-C-2.0002-A

邮编 (P.C): 215104

传真 (Fax): 86-512-66351051

# 检验报告

## TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

### 检验结果(微生物):

### TESTING RESULTS(Microbiological testing):

检测项目 Item inspected	结果单位 Result Unit	技术要求 Technical requirement	检测方法 Detection method	检测结果 Test results	单项评判 Evaluation results
菌落总数 Aerobic Bacterial Count	CFU/g	≤1000	《化妆品安全技术规范》 (2015年版)第五章2 菌落总数检验方法 Chapter 5,2 of the Safety and technicalStandards for Cosmetics(2015) Method for testing Aerobic Bacterial Count	<10	符合 Qualified
耐热大肠菌群 Thermotolerant coliform bacteria	/g	不得检出 Negative	《化妆品安全技术规范》 (2015年版)第五章3 耐热大肠菌群检验方法 Chapter 5, 3 of the Safety and technicalStandards for Cosmetics(2015) Method for testing Thermotolerant coliform bacteria	未检出 Absent	符合 Qualified
铜绿假单胞菌 Pseudomonas aeruginosa	/g	不得检出 Negative	《化妆品安全技术规范》 (2015年版)第五章4 铜绿假单胞菌检验方法 Chapter 5,4 of the Safety and technicalStandards for Cosmetics(2015) Method for testing Pseudomonas aeruginosa	未检出 Absent	符合 Qualified

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验室书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心

邮编 (P.C): 215104

Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center

电话 (Tel): 86-512-66351052

传真 (Fax): 86-512-66351051

STC-5-C-2.0002-A

第 9 页共 10 页

# 检验报告

## TEST REPORT

检验受理编号: HW202402683  
Acceptance Number: HW202402683  
日期: 2024-07-05  
Date: 2024-07-05

金黄色葡萄球菌 Staphylococcus aureus	/g	不得检出 Negative	《化妆品安全技术规范》 (2015年版)第五章5 金黄色葡萄球菌检验方法 Chapter 5,5of the Safety and technicalStandards for Cosmetics(2015) Method for testing Staphylococcus aureus	未检出 Absent	符合 Qualified
霉菌和酵母菌总数 Molds and Yeast count	CFU/g	≤100	《化妆品安全技术规范》 (2015年版)第五章6 霉菌和酵母菌检验方法 Chapter 5,6 of the Safety and technicalStandards for Cosmetics(2015) Methods for testing Molds and Yeast count	<10	符合 Qualified

\*\*\*本页结束\*\*\*  
\*\*\*报告结束\*\*\*  
\*\*\*End of page\*\*\*  
\*\*\*End of report\*\*\*

声明: 本报告仅对来样负责。委托人对本实验室的检验结果有异议的, 可在收到检测结果之日起十五日以内提出。未经本实验书面同意, 不得部分地复制本报告或利用本报告进行不当宣传。

Note: The test report is only responsible for the samples tested. Any objection to the result(s) can be raised for re-inspection within 15 days. No partial copy of the report or misuse of the report for improper promotion will be allowed without the written consent of our laboratory.

地址: 苏州市吴中区吴中大道越旺智慧谷 A2 楼检测中心

邮编 (P.C): 215104

Add: Suzhou wuzhong district wuzhong road yuewang wisdom valley A2 building test center

电话 (Tel): 86-512-66351052

传真 (Fax): 86-512-66351051

STC-5-C-2.0002-A

第 10 页共 10 页