



中国认可
国际互认
检测
TESTING
CNAS L0128



210900110152

(2021)沪市监认验第135号

W024066001118

检测报告

Test Report



OUzFUBYG

产品名称：乐而雅®零触感超丝薄35cm护翼型卫生巾
Name of Sample 巾

规格型号：/
Type

委托单位：上海花王有限公司
Applicant

检测类别：委托检测
Test Purpose

上海市质量监督检验技术研究院
Shanghai Institute of Quality Inspection and Technical Research



上海市质量监督检验技术研究院
检测报告

报告编号: W024066001118

共3页 第1页

样品名称	乐而雅®零触感超丝薄35cm护翼型卫生巾			检测类别	委托检测
型号规格等级	/合格品			商标	乐而雅®
委托单位	上海花王有限公司				
受检单位	/				
标称生产单位	上海花王有限公司				
委托书编号	W024066001118	委托/抽样日期	2024.03.21		
到样日期	2024.03.21	抽样地点	/		
样品数量	23+1标	受检批数量	/		
生产日期	20240104	批号/编号	/		
样品到样状态	包装完整, 内部独立包装, 片状				邮寄到样
检测地点	上海市奉贤区平庄西路3086号				
检测依据	GB/T 8939-2018《卫生巾(护垫)》 GB/T 34448-2017《生活用纸及纸制品 甲醛含量的测定》 GB 15979-2002《一次性使用卫生用品卫生标准》 GB 38598-2020《消毒产品标签说明书通用要求》				
判定依据	GB/T 8939-2018《卫生巾(护垫)》 GB 15979-2002《一次性使用卫生用品卫生标准》 GB 38598-2020《消毒产品标签说明书通用要求》				
检测日期	2024年03月21日至 2024年04月04日				
检测结论	该样品本次所检项目检测结果符合上述检测依据/判定依据相关规定, 详见本报告检测结果汇总表。 (检测报告专用章) 检验检测专用章 签发日期: 2024年04月04日				
委托单位通讯资料	地址	上海市闵行区花王路333号			
	邮编	201111	电话	64091210*604	
备注	本报告检验检测结论是根据检验检测依据/判定依据仅对所检项目得出的, 不代表未经检验检测的项目或功能符合要求。 注意事项、声明及所属单位一览表为本报告的组成部分。				

批准: 陆壹
副主任

陆壹

审核:

张宇翔

主检:

张娜娜

检测报告

报告编号: W024066001118

上海市质量监督检验技术研究院

共3页 第2页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
1	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	不包括内容真实性的核实
2	全长偏差	% ±4	<1	GB/T 8939-2018 (4.2)	符合	/
3	条质量偏差	% ±12	上偏差1 下偏差-1	GB/T 8939-2018 (4.3)	符合	/
4	吸水倍率	倍 ≥7.0	17.9	GB/T 8939-2018 (4.4)	符合	/
5	吸收速度	s ≤60	26	GB/T 8939-2018 (附录A)	符合	/
6	pH	4.0~9.0	5.9	GB/T 8939-2018 (附录 C)	符合	/
7	甲醛含量	mg/kg ≤75	未检出 (<10)	GB/T 34448-2017	符合	/
8	可迁移性荧光物质	合格	合格	GB/T 8939-2018 (附录 D)	符合	/
9	交货水分	% ≤10.0	5.3	GB/T 8939-2018 (4.7)	符合	/
10	背胶剥离强度	mN 100~800	332	GB/T 8939-2018 (附录 E)	符合	/
11	细菌菌落总数	CFU/g ≤200	<20	GB 15979-2002 (附录B)	符合	/
12	大肠菌群	不得检出	未检出	GB 15979-2002 (附录B)	符合	/
13	绿脓杆菌	不得检出	未检出	GB 15979-2002 (附录B)	符合	/
14	金黄色葡萄球菌	不得检出	未检出	GB 15979-2002 (附录B)	符合	/
15	溶血性链球菌	不得检出	未检出	GB 15979-2002 (附录B)	符合	/



检测报告

报告编号: W024066001118

上海市质量监督检验技术研究院

共3页 第3页

检测结果汇总							
序号	检测项目		技术要求	检测结果	检测依据	单项判定	备注
16	真菌菌落总数	CFU/g	≤100	<20	GB 15979-2002 (附录B)	符合	/

(以下空白)

检验
P

注 意 事 项

Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。

The report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。

The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 3、报告无主检/编制、审核、批准人签名无效。

The report is valid with signature of major inspector, reviewer and approver.

- 4、报告涂改无效。

The report is invalid with any alteration or falsification.

授权国家质检中心名称

National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心

National Center of Quality Inspection and Testing on Consumer Goods

- 2、国家家具质量检验检测中心

National Center of Quality Inspection and Testing on Furniture

- 3、国家建筑材料及装饰装修材料质量检验检测中心

National Center of Quality Inspection and Testing on Building and Decoration Materials

- 4、国家智能电网分布式电源装备质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)

- 5、国家电器能效与安全质量检验检测中心

National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance

- 6、国家食品质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Food Products (Shanghai)

- 7、国家保洁产品质量检验检测中心

National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products

- 8、国家电光源质量检验检测中心（上海）

National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)

- 9、国家灯具质量检验检测中心

China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

声 明

Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.

- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。

Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.

- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。

For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.

- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。

Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.

- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。

Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.



上海市质量监督检验技术研究院所属单位一览表

Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research (SQI)

- 食品化学产品质量检验所(代码SP)/ 国家食品质量检验检测中心(上海)/ 国家保洁产品质量检验检测中心/ 上海市食品质量监督检验站
Institute of Quality Inspection of Food and Chemicals (SQI_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Food Products

地址:上海市徐汇区苍梧路381号
电话: 021-54263362
Address: No.381, Cangwu Rd., Xuhui District, Shanghai
Tel: 021-54263362

地址:上海市奉贤区平庄西路3086号(日化产品)
电话: 021-57493107
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products)
Post: 201499
E-mail: shihuas@sqi.org.cn

邮编: 200233
传真: 021-54265730
Post: 200233
Fax: 021-54265730

邮编: 201499
传真: 021-57493162
Post: 201499
Tel: 021-57493107
- 上海时代之光照明电器检测有限公司(代码ZM)/ 国家电光源质量检验检测中心(上海)/ 国家灯具质量检验检测中心/ 国家轻工业灯具质量监督检测中心/ 上海市照明产品质量监督检验站
Shanghai Alpha Lighting Equipment Testing Ltd. (SQI_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industry Luminaries / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products

地址: 上海市闵行区江月路900号2号楼
电话: 021-54336162, 54336173, 54336181, 54336227
Address: 2nd Building, No.900, Jiangyue Rd., Minhang District, Shanghai
Tel: 021-54336162, 54336173, 54336181, 54336227
E-mail: salt@sqi.org.cn, salt@saltnet.com.cn, sdzg@sqi.org.cn

邮编: 201114
传真: 021-54337200
Post: 201114
Fax: 021-54337200
- 机电产品质量检验所(代码JD)/上海市机电产品质量监督检验站
Institute of Quality Inspection of Mechanical and Electronic Products(SQI_JD)/ Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products

地址: 上海市静安区万荣路918号
电话: 021-56035307, 56652534
Address: No.918, Wanrong Rd., Jing' an District, Shanghai
Tel: 021-56035307, 56652534
E-mail: jds@sqi.org.cn

邮编: 200072
传真: 021-56652624
Post: 200072
Fax: 021-56652624
- 轻工与化工产品产品质量检验所(代码QG、HG)/国家日用消费品质量检验检测中心/ 上海市轻工产品质量监督检验站/ 上海市化工产品质量监督检验站
Institute of Quality Inspection of Light Industrial Products and Chemical Products (SQI_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products/ Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products

地址: 上海市闵行区江月路900号3号楼
电话: 021-54336172, 54336175
Address: 3rd Building, No.900, Jiangyue Rd., Minhang District, Shanghai
Tel: 021-54336172, 54336175

地址: 上海市奉贤区平庄西路3086号
电话: 021-54336172, 54336175
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
Tel: 021-54336172, 54336175
E-mail: qgs@sqi.org.cn, qingggong@sqi.org.cn

邮编: 201114
传真: 021-54336175
Post: 201114
Fax: 021-54336175

邮编: 201499
传真: 021-54336175
Post: 201499
Fax: 021-54336175
- 建材家居装饰装修质量检验所(代码JC)/ 国家家具质量检验检测中心/ 国家轻工业家具质量监督检测中心/ 国家轻工业建筑五金质量监督检测中心/ 国家建筑材料及装饰装修材料质量检验检测中心/ 上海市建筑材料及装饰装修材料质量监督检验站/ 上海市室内装饰装修质量监督检验站
Institute of Quality Inspection of Building Materials and Decoration Materials (SQI_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration

地址: 上海市闵行区江月路900号5号楼
电话: 021-54336170, 54336225
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai
Tel: 021-54336170, 54336225

地址: 上海市奉贤区平庄西路3086号
电话: 021-57493115
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai
Tel: 021-57493115
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn

邮编: 201114
传真: 021-54336170
Post: 201114
Fax: 021-54336170

邮编: 201499
传真: 021-57493162
Post: 201499
Fax: 021-57493162
- 电子电器家用电器质量检验所(代码DZ、DQ)/ 国家电器能效与安全质量检验检测中心/ 国家智能电网分布式电源装备质量检验检测中心(上海)/ 上海市电子电器家用电器质量监督检验站
Institute of Quality Inspection of Electronics and Household Appliances (SQI_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance/ National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances

地址: 上海市闵行区江月路900号4号楼
电话: 021-54336322; 64336605
E-mail: dzs@sqi.org.cn
Address: 4th Building, No.900, Jiangyue Rd., Minhang District, Shanghai
Tel: 021-54336322, 64336605
E-mail: dzs@sqi.org.cn

地址: 上海市徐汇区苍梧路381号
电话: 021-54263097, 64336605
Address: No.381, Cangwu Rd., Xuhui District, Shanghai
Tel: 021-54263097, 64336605
E-mail: dqs@sqi.org.cn

邮编: 201114
传真: 021-64313348
Post: 201114
Fax: 021-64313348

邮编: 200233
传真: 021-64850806
Post: 200233
Fax: 021-64850806
- 计量检测所(代码JL)
Institute of Metrology Inspection(SQI_JL)

地址: 上海市闵行区江月路900号5号楼
电话: 021-54336149, 54336148
Address: 5th Building, No.900, Jiangyue Rd., Minhang District, Shanghai
Tel: 021-54336149, 54336148

地址: 上海市徐汇区永嘉路627号
电话: 021-64372125
Address: No.627 Yongjia Rd., Xuhui District, Shanghai
Tel: 021-64372125
E-mail: jls@sqi.org.cn

邮编: 201114
传真: 021-62892960
Post: 201114

邮编: 200031
传真: 021-64372135
Post: 201114
Fax: 021-64372135
- 纤维检验所(代码XW)/ 国家日用消费品质量检验检测中心/ 上海市纺织纤维质量监督检验站
Institute of Fiber Inspection (SQI_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber

地址: 上海市长乐路1228号
电话: 021-62495465
Address: No.1228, Changle Rd., Shanghai
Tel: 021-62495465
E-mail: xws@sqi.org.cn

邮编: 200040
传真: 021-62481025
Post: 200040
Fax: 021-62481025

