



210900110152



中国认可  
国际互认  
检测  
TESTING  
CNAS L0128



W026066000653

# 检测报告

## Test Report



XTFyfPGC

产品名称： 乐而雅®零触感抑菌清芯超丝薄17cm迷  
Name of Sample 你卫生巾

规格型号： /  
Type

委托单位： 上海花王有限公司  
Applicant

检测类别： 委托检测  
Test Purpose

上海市质量监督★验技术研究院有限公司  
Shanghai Institute of Quality Inspection and Technical Research Co., Ltd.



# 上海市质量监督检验技术研究院有限公司

## 检测报告

报告编号: W026066000653

共13页 第1页

样品名称	乐而雅®零触感抑菌清芯超丝薄17cm迷你卫生巾			检测类别	委托检测
型号规格等级	/合格品			商标	乐而雅®
委托单位	上海花王有限公司				
受检单位	/				
标称生产单位	上海花王有限公司				
委托书编号	W026066000653	委托/抽样日期	2026.01.30		
到样日期	2026.01.30	抽样地点	/		
样品数量	23+1标	受检批数量	/		
生产日期	20260103	批号/编号	/		
样品到样状态	包装完整, 单独包装, 片状				邮寄到样
检测地点	上海市奉贤区平庄西路3086号				
检测依据	GB/T 8939-2018《卫生巾(护垫)》 GB/T 34448-2017《生活用纸及纸制品 甲醛含量的测定》 GB 15979-2024《一次性使用卫生用品卫生要求》 GB 38598-2020《消毒产品标签说明书通用要求》及第1号修改单				
判定依据	GB/T 8939-2018《卫生巾(护垫)》 GB 15979-2024《一次性使用卫生用品卫生要求》 GB 38598-2020《消毒产品标签说明书通用要求》及第1号修改单				
检测日期	2026年01月30日至2026年02月27日				
检测结论	该样品本次所检项目检测结果符合上述检测依据/判定依据相关规定, 详见本报告检测结果汇总表。  (检测报告专用章) 签发日期: 2026年02月28日				
委托单位通讯资料	地址	上海市闵行区花王路333号			
	邮编	201111	电话	021-64091210*608	
备注	本报告检验检测结论是根据检验检测依据/判定依据仅对所检项目得出的, 不代表未经检验检测的项目或功能符合要求。 注意事项、声明及所属单位一览表为本报告的组成部分。				

批准: 陆壹  
副主任

陆壹

审核:

张宇翔

主检:

张娜娜

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第2页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
1	全长偏差 %	±4	<1	GB/T 8939-2018(4.2)	符合	/
2	条质量偏差 %	±12	上偏差1 下偏差-2	GB/T 8939-2018(4.3)	符合	/
3	吸水倍率 倍	≥7.0	14.7	GB/T 8939-2018(4.4)	符合	/
4	吸收速度 s	≤60	23	GB/T 8939-2018(附录A)	符合	/
5	pH	4.0~9.0	5.6	GB/T 8939-2018(附录 C)	符合	/
6	甲醛含量 mg/kg	≤75	未检出 (<10)	GB/T 34448-2017	符合	/
7	可迁移性荧光物质	合格	合格	GB/T 8939-2018(附录 D)	符合	/
8	交货水分 %	≤10.0	2.6	GB/T 8939-2018(4.7)	符合	/
9	背胶剥离强度 mN	100~800	659	GB/T 8939-2018(附录 E)	符合	/
10	细菌菌落总数 CFU/g	≤200	<5	GB 15979-2024(附录B)	符合	/
11	大肠菌群	不得检出	未检出	GB 15979-2024(附录B)	符合	/
12	绿脓杆菌	不得检出	未检出	GB 15979-2024(附录B)	符合	/
13	金黄色葡萄球菌	不得检出	未检出	GB 15979-2024(附录B)	符合	/
14	溶血性链球菌	不得检出	未检出	GB 15979-2024(附录B)	符合	/
15	真菌菌落总数 CFU/g	≤100	<5	GB 15979-2024(附录B)	符合	/
16	外观	卫生巾(护垫)产品应洁净,无污物,无破损,产品内不应有异物。卫生巾(护垫)两端封口应牢固,卫生巾离型纸不应自行脱落,并能自然完整撕下。	正常	GB/T 8939-2018(3.6-3.8)	符合	/

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第3页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1a) 产品名称
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1b) 净含量
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1c) 生产企业名称、地址、联系方式
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1e) 进口产品原产国或地区名称
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1f) 生产日期及保质期或生产批号及限期使用日期
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.1g) 贮存条件 (其他卫生用品必要时)

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第4页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.11) 其他卫生用品还应标注产品名称、执行标准编号

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第5页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	7.4.5 其他卫生用品标签不应标注的内容: a) 卫生巾等卫生用品的标签不应标注消毒、灭菌、除菌、止带、除湿、润燥、抗炎、消炎、杀精子、避孕。b) 产品名称不应标注“药物”字样。
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.1 标签中文标识应为规范汉字(注册商标除外)
		符合GB/T 8939-2018、GB	符合标准要求	GB/T 8939-	符合	8.1a

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第6页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
		38598-2020要求		2018; GB 38598-2020		所有文字、数字、符号、图案、表格和其他说明应清晰、牢固、易于识别,不应涂改,并标注在展示面或可视显著位置。同时使用汉语拼音、少数民族文字或外文,应拼写正确汉语拼音、外文的字体应小于相应中文(注册商标除外)。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第7页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.1b) 汉字、少数民族文字、数字和字母最小字体高度应大于或等于1.8mm。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第8页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.2标签标注的内容应真实,不应标注或暗示对疾病的治疗作用、疾病临床症状和疾病名称(疾病名称作为微生物名称一部分的除外)、抗生素名称、激素名称、抗真菌药物等国家卫生健康行政部门禁止添加的物质名称。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第9页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018； GB 38598-2020	符合	8.3a) 产品名称应标注在最销售包的展示面或可视面的显著位置，字体大小一致，清晰易辨；应反映消毒产品的真实性。
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018； GB 38598-2020	符合	8.3b) 产品名称应符合《健康相关产品命名规定》，名称顺序应为商名或品牌名、通用名、属性名。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第10页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.3c) 商标的使用应符合国家有关规定,不得使用有夸大功能或误导消费者的商标,如:以谐音、图形暗示具有疾病治疗、护理、保健作用。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第11页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.3e) 产品名称中不应包含以下内容: 虚假、夸大和绝对化的词语, 外文字母、汉语拼音、符号等 (表示型号的除外), 如为注册商标或应用外文字母、符号的, 应在标签中用中文说明或在产品名称用中文表示。
		符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.5a) 产品规格应符合产品特性。

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第12页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
17	标志	符合GB/T 8939-2018、GB 38598-2020要求	符合标准要求	GB/T 8939-2018; GB 38598-2020	符合	8.5b) 净含量应准确反映其实际含量, 净含量应符合《定量包装商品计量监督管理办法》的规定; 同一最小销售包装内有多件同种定量包装产品的, 应标注单件包装产品的净含量和总件数。注: 净含量的标注应包括“净含量”(中文) 数字和法定

# 检测报告

报告编号: W026066000653

上海市质量监督检验技术研究院有限公司

共13页 第13页

检测结果汇总						
序号	检测项目	技术要求	检测结果	检测依据	单项判定	备注
						计量单位(或者用中文表示的计数单位)。

(以下空白)

密.巴.限.公.司.5.5.1

## 注 意 事 项

### Notices

- 1、报告无“检验检测专用章”或检测单位公章无效。

The report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 2、不得部分复制报告，复制报告须加盖“检验检测专用章”或检测单位公章，否则无效。

The report shall not be reproduced except in full. The copied report is valid with the "special seal for inspection and testing" or the official seal of SQI.

- 3、报告无主检/编制、审核、批准人签名无效。

The report is valid with signature of major inspector, reviewer and approver.

- 4、报告涂改无效。

The report is invalid with any alteration or falsification.

## 授权国家质检中心名称

### National Center of Quality Inspection and Testing

- 1、国家日用消费品质量检验检测中心

National Center of Quality Inspection and Testing on Consumer Goods

- 2、国家家具质量检验检测中心

National Center of Quality Inspection and Testing on Furniture

- 3、国家建筑材料及装饰装修材料质量检验检测中心

National Center of Quality Inspection and Testing on Building and Decoration Materials

- 4、国家智能电网分布式电源装备质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai)

- 5、国家电器能效与安全质量检验检测中心

National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance

- 6、国家食品质量检验检测中心（上海）

National Center of Quality Inspection and Testing on Food Products (Shanghai)

- 7、国家保洁产品质量检验检测中心

National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products

- 8、国家电光源质量检验检测中心（上海）

National Center of Inspection and Testing on Electric Light Source Quality (Shanghai)

- 9、国家灯具质量检验检测中心

China National Lighting Fitting Quality Inspection and Testing Centre (CLTC)

## 声 明

### Statement

- 1、本质检机构保证检测的科学性、公正性和准确性，对检测的数据、结果负责，并对客户所提供的样品和技术资料保密。

SQI pledges to conduct scientific, impartial and accurate testing, undertakes the liability of testing data and results, and protects the confidentiality of client(s)' sample(s) and technical information.

- 2、对送样委托检测报告若有异议，应于报告收到之日起十五日内向本质检机构提出，逾期不予受理。

Any objection to the test report of delivered samples shall be submitted to SQI within 15 days from the date of receiving the report; overdue submission will not be accepted.

- 3、对于非本质检机构实施抽样的检测报告，检测结果仅适用于客户提供的样品。

For the test report not sampled by SQI, the test results hereon refer only to the sample(s) provided by the client.

- 4、未经本质检机构同意，委托人不得擅自使用检测数据、结果进行不当宣传。

Without prior approval of SQI, any client shall not use the testing data and results for improper publicity.

- 5、本质检机构在资质认定证书确定的能力范围内，对社会出具具有证明作用数据、结果时，应当标注检验检测机构资质认定标志，并加盖检验检测专用章。在资质认定证书确定的能力范围外，出具的检验检测报告或者证书上不得标注检验检测机构资质认定标志，该数据、结果对社会不具有证明作用。

Within the capacity scopes of Qualification Accreditation Certificates, SQI shall issue data and results with proving effect to the society with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA) and the special seal for inspection and testing of SQI. Beyond the capacity scopes of Qualification Accreditation Certificates, SQI shall not issue test reports or certificates with the symbol of China Inspection Body and Laboratory Mandatory Approval (CMA), and the data and results thereon have no proving effect to the society.

# 上海市质量监督检验技术研究院有限公司所属单位一览表

## List of Subordinate Units of Shanghai Institute of Quality Inspection and Technical Research Co., Ltd. (SQI)

- 食品化学产品质量检验所(代码 SP) / 国家食品质量检验检测中心(上海) / 国家保洁产品质量检验检测中心 / 上海市食品质量监督检验站**  
Institute of Quality Inspection of Food and Chemicals (SQI\_SP) / National Center of Quality Inspection and Testing on Food Products (Shanghai) / National Center of Quality Inspection and Testing on Cosmetics and Cleaning Products / Shanghai Municipal Station of Quality Supervision and Inspection of Food Products  
地址: 上海市徐汇区苍梧路381号 邮编: 200233  
电话: 021-54263362 传真: 021-54265730  
地址: 上海市奉贤区平庄西路3086号(日化产品) 邮编: 201499  
电话: 021-57493107 传真: 021-57493162  
E-mail: shihuas@sqi.org.cn  
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233  
Tel: 021-54263362 Fax: 021-54265730  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai (Daily Chemical Products) Post: 201499  
Tel: 021-57493107 Fax: 021-57493162  
E-mail: shihuas@sqi.org.cn
- 上海时代之光照明电器检测有限公司(代码 ZM) / 国家电光源质量检验检测中心(上海) / 国家灯具质量检验检测中心 / 国家轻工业灯具质量监督检测中心 / 上海市照明产品质量监督检验站**  
Shanghai Alpha Lighting Equipment Testing Ltd. (SQI\_ZM) / National Center of Inspection and Testing on Electric Light Source Quality (Shanghai) / China National Lighting Fitting Quality Inspection and Testing Centre (CLTC) / National Center for Quality Supervision and Inspection of Light Industrial Luminaires / Shanghai Municipal Station of Quality Supervision and Test on Lighting Products  
地址: 上海市闵行区江月路900号2号楼 邮编: 201114  
电话: 021-54336162; 54336173; 54336181; 54336227 传真: 021-54337200  
E-mail: salt@sqi.org.cn; salt@saltmet.com.cn; sdzg@sqi.org.cn  
Address: 2<sup>nd</sup> Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336162, 54336173, 54336181, 54336227 Fax: 021-54337200  
E-mail: salt@sqi.org.cn, salt@saltmet.com.cn, sdzg@sqi.org.cn
- 机电产品质量检验所(代码 JD) / 上海市机电产品质量监督检验站**  
Institute of Quality Inspection of Mechanical and Electronic Products (SQI\_JD) / Shanghai Municipal Station of Quality Supervision and Inspection of Mechanical and Electronic Products  
地址: 上海市静安区万荣路918号 邮编: 200072  
电话: 021-56035307; 56652534 传真: 021-56652624  
E-mail: jds@sqi.org.cn  
Address: No.918, Wanrong Rd., Jing'an District, Shanghai Post: 200072  
Tel: 021-56035307, 56652534 Fax: 021-56652624  
E-mail: jds@sqi.org.cn
- 轻工与化工产品质量检验所(代码 QG、HG) / 国家日用消费品质量检验检测中心 / 上海市轻工产品质量监督检验站 / 上海市化工产品质量监督检验站**  
Institute of Quality Inspection of Light Industrial Products and Chemicals (SQI\_QG/HG) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Light Industrial Products / Shanghai Municipal Station of Quality Supervision and Inspection of Chemical Products  
地址: 上海市闵行区江月路900号3号楼 邮编: 201114  
地址: 上海市奉贤区平庄西路3086号 邮编: 201499  
电话: 021-54336172; 54336175; 54338258 传真: 021-54336175  
E-mail: qgs@sqi.org.cn; qinggong@sqi.org.cn  
Address: 3<sup>rd</sup> Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499  
Tel: 021-54336172, 54336175, 54338258 Fax: 021-54336175  
E-mail: qgs@sqi.org.cn, qinggong@sqi.org.cn
- 建材家居装饰装修质量检验所(代码 JC) / 国家家具质量检验检测中心 / 国家轻工业家具质量监督检测中心 / 国家轻工业建筑五金质量监督检测中心 / 国家建筑材料及装饰装修材料质量检验检测中心 / 上海市建筑材料及装饰装修材料质量监督检验站 / 上海市室内装饰装修质量监督检验站**  
Institute of Quality Inspection of Building Materials and Decoration Materials (SQI\_JC) / National Center of Quality Inspection and Testing on Furniture / National Center for Quality Supervision and Inspection of Light Industrial Furniture / National Center for Quality Supervision and Inspection of Light Industrial Building Hardware / National Center of Quality Inspection and Testing on Building and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Building Materials and Decoration Materials / Shanghai Municipal Station of Quality Supervision and Inspection of Interior Decoration  
地址: 上海市闵行区江月路900号5号楼 邮编: 201114  
电话: 021-54336170; 54336225 传真: 021-54336170  
地址: 上海市奉贤区平庄西路3086号 邮编: 201499  
电话: 021-57493115 传真: 021-57493162  
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn  
Address: 5<sup>th</sup> Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336170, 54336225 Fax: 021-54336170  
Address: No.3086, West Pingzhuang Rd., Fengxian District, Shanghai Post: 201499  
Tel: 021-57493115 Fax: 021-57493162  
E-mail: jcs@sqi.com.cn, jiancai@sqi.org.cn
- 电子电器家用电器质量检验所(代码 DZ、DQ) / 国家电器能效与安全质量检验检测中心 / 国家智能电网分布式电源装备质量检验检测中心(上海) / 上海市电子家用电器质量监督检验站**  
Institute of Quality Inspection of Electronics and Household Appliances (SQI\_DZ/DQ) / National Center of Quality Inspection and Testing on Energy Efficiency and Safety of Electrical Appliance / National Center of Quality Inspection and Testing on Distributed Power Equipment in Smart Grid (Shanghai) / Shanghai Municipal Station of Quality Supervision and Inspection of Electronics and Household Appliances  
地址: 上海市闵行区江月路900号4号楼 邮编: 201114  
电话: 021-54336322; 64336605 传真: 021-64313348  
E-mail: dzs@sqi.org.cn  
地址: 上海市徐汇区苍梧路381号 邮编: 200233  
电话: 021-54263097; 64336605 传真: 021-64850806  
E-mail: dqs@sqi.org.cn  
Address: 4<sup>th</sup> Building, No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336322, 64336605 Fax: 021-64313348  
E-mail: dzs@sqi.org.cn  
Address: No.381, Cangwu Rd., Xuhui District, Shanghai Post: 200233  
Tel: 021-54263097, 64336605 Fax: 021-64850806  
E-mail: dqs@sqi.org.cn
- 计量检测所(代码 JL)**  
Institute of Metrology Inspection (SQI\_JL)  
地址: 上海市闵行区江月路900号 邮编: 201114  
电话: 021-54336149; 54336148 传真: 021-62892960  
地址: 上海市徐汇区永嘉路627号 邮编: 200031  
电话: 021-64372125 传真: 021-64372135  
E-mail: jls@sqi.org.cn  
Address: No.900, Jiangyue Rd., Minhang District, Shanghai Post: 201114  
Tel: 021-54336149, 54336148 Fax: 021-62892960  
Address: No.627, Yongjia Rd., Xuhui District, Shanghai Post: 200031  
Tel: 021-64372125 Fax: 021-64372135  
E-mail: jls@sqi.org.cn
- 纤维检验所(代码 XW) / 国家日用消费品质量检验检测中心 / 上海市纺织纤维质量监督检验站**  
Institute of Fiber Inspection (SQI\_XW) / National Center of Quality Inspection and Testing on Consumer Goods / Shanghai Municipal Station of Quality Supervision and Inspection of Textile and Fiber  
地址: 上海市长乐路1226号3幢、4幢 邮编: 200040  
电话: 021-62495465 传真: 021-62481025  
E-mail: xws@sqi.org.cn  
Address: 3<sup>rd</sup> Building, 4<sup>th</sup> Building, No.1226, Changle Rd., Shanghai Post: 200040  
Tel: 021-62495465 Fax: 021-62481025  
E-mail: xws@sqi.org.cn